

Christy[®] Pak Metal Raschig Rings

FEATURES

- Available in a wide range of sizes, thicknesses and metallurgies
- High mechanical strength
- Economical
- High available surface area
- Well-proven in thousands of installations worldwide



PACKING DATA

Nominal		Thickness		*Density		Surface Area		Free Space
(in)	(mm)	inches	(mm)	lbs/ft ³	(kg/m ³)	ft ² /ft ³	(m ² /m ³)	(%)
3/4	(19)	0.016	(0.4)	27	(432)	107	(272)	94
1	(25)	0.032	(0.8)	40	(652)	67	(206)	92
1-1/2	(38)	0.032	(0.8)	27	(437)	46	(138)	94
2	(50)	0.032	(0.8)	21	(340)	32	(107)	96
3	(76)	0.032	(0.8)	15	(237)	23	(75)	97

* Density is based on 304SS. Other sizes and wall thicknesses are available upon request.

Christy Catalytics, LLC offers a complete range of catalyst bed supports, tower packings and tower internals.

THE ABOVE DATA ARE BASED ON CONTROLLED TESTING. INDIVIDUAL TEST RESULTS MAY VARY; THEREFORE THESE DATA MAY NOT BE USED FOR SPECIFICATION PURPOSES. NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY, ARE MADE REGARDING THE DATA OR PRODUCTS SHOWN ABOVE.