




# Composite Sorter Upgrade Specifications



## **Globe Composite Solutions**

200 Shuman Ave.  
Stoughton, MA 02072  
781-871-3700  
781-871-6631 (fax)  
[www.globecomposite.com](http://www.globecomposite.com)

**Table 3-1**  
**Carriage Assembly Characteristics**

SPECIFICATIONS / CHARACTERISTICS	DESCRIPTION
Carriage Assembly (fully assembled)  Outside Dimensions: Height Width Length Weight	(Not including Tray or Mail Catchers)   12-1/2 inches 10-1/2 inches 20 inches 21.25 pounds

**Table 4-1**  
**Tip up Assembly Characteristics**

SPECIFICATIONS / CHARACTERISTICS	DESCRIPTION
Tip up Assembly  Outside Dimensions: Height: Extended Retracted Width Depth  Tip up Assembly Mount  Outside Dimensions: Height Width Depth	(Not including air cylinder, clevis, fitting)   14-1/2 inches 11-1/2 inches 3 inches 6-1/2 inches (When retracted)   9 inches 3-1/2 inches 4-1/2 inches

**Table 5-1**  
**Chain Assembly Characteristics**

SPECIFICATIONS / CHARACTERISTICS	DESCRIPTION
<b>Chain Assembly</b> <b>(P/N 01-11-5522)</b>  Outside Dimensions: Height Length Width (Over Wheel) Wheel Diameter Weight	      4-1/4 inches 18ft 3 inches 3 inches 63 pounds per 18ft length (3.5 pounds/ft)

**Table 6-1**  
**Track Assembly Characteristics**

SPECIFICATIONS / CHARACTERICS	DESCRIPTION
<b>Track Assembly</b>  <b>Straight Sections</b> <b>P/N 01-11-0110</b> Outside Dimensions: Lengths Height Width Weight  <b>Curve Sections (inside radius)</b> <b>P/N 01-11-0120</b> Outside Dimensions: Height Width Weight Arc Radius  <b>Curve Sections (outside radius)</b>	          12 ft 9 inches 6 Inches 5 pounds per linear foot          9 inches 6 inches 5 pounds per linear foot 22.5 degrees 10 ft measured to CL of carriage travel

<p><b>P/N 01-11-0130</b></p> <p>Outside Dimensions:</p> <p>Height</p> <p>Width</p> <p>Weight</p> <p>Arc</p> <p>Radius</p> <p><b>Access Door Sections</b></p> <p>2 standard configurations</p> <p><b>P/N 01-11-0140</b></p> <p><b>P/N 01-11-0141</b></p> <p>Outside Dimensions:</p> <p>Height</p> <p>Width</p> <p>Weight</p> <p><b>Expansion Joint</b></p> <p><b>P/N 01-11-5491</b></p> <p>Height</p> <p>Width</p> <p>Weight</p>	<p>9 inches</p> <p>6 inches</p> <p>5 pounds per linear foot</p> <p>22.5 degrees</p> <p>10 ft measured to CL of carriage travel</p> <p>4ft Door (Set in 6 ft track length)</p> <p>6ft Door (Set in 8 ft track length)</p> <p>9 inches</p> <p>6 inches</p> <p>6 pounds per linear foot</p> <p>4 Feet Long</p> <p>9 inches</p> <p>6 inches</p> <p>6 pounds per linear ft</p>
---	--