



PRODUCT CATALOGUE

MANUAL CLEANING

PK Manual Cleaning Station



FLEXO WASH
Leading Cleaning Solutions


MAKE YOUR MANUAL CLEANING EASIER

The system consists of a cabinet with a reservoir for solvent or other cleaning liquids, like UV/Solvent cleaner 1A.

To reduce evaporation of liquid from the reservoir, the lid that can be closed when the system is in stand-by.

PRE-TREATMENT BEFORE AUTOMATIC CLEANING

The interior of the 200 mm deep tub has a sliding grid that can be pushed aside making it possible to dip or soak parts to soften the ink before washing them in an automatic washing unit. The system has a brush that can be used to clean the parts manually.



EASE YOUR MANUAL CLEANING

- Soak parts with difficult ink residues before washing them in an automatic washing unit for a better result
- Reuse liquids/solvents to reduce consumption
- Both as ATEX or non-ATEX models



OPERATION FEATURES



ATEX CERTIFIED

The unit is ATEX approved.

SLIDING GRID

Parts can be placed on the grid inside the unit for dripping off or rinsing. The grid can slide back and forth for easy handling.

FILLING

The system is installed with a pump for manual filling which securely fills the 200 mm deep tub with liquid or solvents.

BRUSH

The system has a brush that can be used to clean the parts manually. A stream of liquid flows through the brush when activated by the foot pedal.

FOOT PEDAL

The flow is activated by a foot pedal, which controls a steady stream of liquid flowing through the brush.

SIDE TABLE (OPTION)

After washing the parts can be placed to drip off on the side table, which has draining to lead excess liquid/solvent back into the tub.

