


IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



IAPMO R&T Product Listing



This IAPMO R&T Listing is current as of August 9, 2021

File Number:

12981

Issued To:

MUELLER SV LTD. DBA SINGER

12850 87 AVENUE SURREY, BC , Canada

Product:

Valves (Pressure Regulating)

Products are in compliance with the following code(s):


**Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada**

Products are in compliance with the following standard(s)

**ASSE 1003-2020 and CSA B356-2010 including Updates through No. 2 dated
October 2015**

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: MUELLER SV LTD. DBA SINGER

File Number: 12981

Product: Valves (Pressure Regulating)

This IAPMO R&T Listing is current as of August 9, 2021

Identification:

Manufacturer's name or trademark, flow direction arrow or marking, size, reduced pressure range and the cUPC® certification mark on the valve body or metal tag.

Characteristics:

Pressure regulating valves that are self-operating to maintain a set pressure on the downstream of the valve adjusting the valve setting to compensate for changes in demand or variations in the upstream pressure. When used as a regulating valve on a water service, the valve body shall be of the same or larger size than the required service piping to comply with the appropriate standards and the provisions of the latest edition of the Uniform Plumbing Code.

To be installed in accordance with the manufacturer's instructions and requirements of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Models

Model Number	Description
DA140-1/2"-075	Pressure reducing valve, range 15-75 psi
DA140-1/2"-150	Pressure reducing valve, range 15-150 psi
DA140-1"-075 1"	Pressure reducing valve, range 15-75 psi
DA140-1"-150 1"	Pressure reducing valve, range 15-150 psi
DA140-1-1/2"-075	Pressure reducing valve, range 15-75 psi
DA140-1-1/2"-150	Pressure reducing valve, range 15-150 psi