

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



IAPMO R&T Product Listing

NSF/ANSI 61

This IAPMO R&T Listing is current as of August 9, 2021

File Number:

N-12982

Issued To:

MUELLER SV LTD. DBA SINGER

12850 87 AVENUE SURREY, BC , Canada

Product:

Drinking Water System Components - Health Effects

Products are in compliance with the following standard(s)

NSF/ANSI/CAN 61-2020

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Issued To: MUELLER SV LTD. DBA SINGER

NSF/ANSI 61

File Number: N-12982

Product: Drinking Water System Components - Health Effects

This IAPMO R&T Listing is current as of August 9, 2021

Identification:

Each product shall be permanently and legibly marked with the manufacturer's name or trademark. The product may also be marked with the standard designation "NSF/ANSI 61".

Characteristics:

Materials or products that come into contact with drinking water and/or drinking water treatment chemicals. Products and materials may include process media, protective materials, joining and sealing materials, pipes and related products, mechanical devices used with treatment/transmission/distribution systems, and mechanical plumbing devices. To be installed in accordance with the manufacturer's instruction. Lead free requirements are addressed under a separate certificate of listing.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Models

Model Number	Description
DA140-1/2"-075	1/2" Pressure reducing valve, range 15-75 psi
DA140-1/2"-150	1/2" Pressure reducing valve, range 15-150 psi
DA140-3/4"-075	3/4" Pressure reducing valve, range 15-75 psi
DA140-3/4"-150	3/4" Pressure reducing valve, range 15-150 psi
DA140-1"-075	1" Pressure reducing valve, range 15-75 psi
DA140-1"-150	1" Pressure reducing valve, range 15-150 psi
DA140-1-1/4"-075	1-1/4" Pressure reducing valve, range 15-75 psi
DA140-1-1/4"-150	1-1/4" Pressure reducing valve, range 15-150 psi
DA140-1-1/2"-075	1-1/2" Pressure reducing valve, range 15-75 psi
DA140-1-1/2"-150	1-1/2" Pressure reducing valve, range 15-150 psi
DA140-2"-075	2" Pressure reducing valve, range 15-75 psi
DA140-2"-150	2" Pressure reducing valve, range 15-150 psi