

# IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • [www.iapmort.org](http://www.iapmort.org)



## IAPMO R&T Product Listing

**LEAD FREE**

This IAPMO R&T Listing is current as of August 9, 2021

*File Number:*

**12983**

*Issued To:*

**MUELLER SV LTD. DBA SINGER**

12850 87 AVENUE SURREY, BC , Canada

*Product:*

**Lead Free Plumbing Products**

*Products are in compliance with the following standard(s)*

Section 1417(d) of the Safe Drinking Water Act The lead content requirements of Section 116875 of the California Health & Safety Code  
NSF/ANSI 372-2020

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Issued To: MUELLER SV LTD. DBA SINGER

**LEAD FREE** File Number: 12983

Product: Lead Free Plumbing Products

This IAPMO R&T Listing is current as of August 9, 2021

### Identification:

Each product shall bear permanent and legible markings to identify the manufacturer. This marking shall be the trade name, trademark, or other mark known to identify the manufacturer. The product shall bear the appropriate IAPMO R&T certification mark. The product may also bear either "Lead Free" or "Low Lead" above or in close proximity to the IAPMO R&T certification mark.

### Characteristics:

Products may include any pipe, pipe fitting, solder, flux, or other plumbing products providing water for human consumption. Products listed below are to be installed in accordance with the manufacturer's instruction. These products have been verified with weighted average lead content  $\leq 0.25\%$ ; Solder and flux lead content  $\leq 0.2\%$ .

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

## Models

<b>Model Number</b>	<b>Description</b>
DA140-1/2"-075	1/2" Pressure reducing valve, range 15-75 psi
DA140-1/2"-150	1/2" Pressure reducing valve, range 15-150 psi
DA140-3/4"-075	3/4" Pressure reducing valve, range 15-75 psi
DA140-3/4"-150	3/4" Pressure reducing valve, range 15-150 psi
DA140-1"-075	1" Pressure reducing valve, range 15-75 psi
DA140-1"-150	1" Pressure reducing valve, range 15-150 psi
DA140-1-1/4"-075	1-1/4" Pressure reducing valve, range 15-75 psi
DA140-1-1/4"-150	1-1/4" Pressure reducing valve, range 15-150 psi
DA140-1-1/2"-075	1-1/2" Pressure reducing valve, range 15-75 psi
DA140-1-1/2"-150	1-1/2" Pressure reducing valve, range 15-150 psi
DA140-2"-075	2" Pressure reducing valve, range 15-75 psi
DA140-2"-150	2" Pressure reducing valve, range 15-150 psi