

Moderna COVID-19 Vaccine

Storage and Handling Summary



Basics

- Store vaccine in a freezer or refrigerator. See guidance below for each storage unit.
- Use vaccine vials stored in the refrigerator before removing vials from frozen storage.
- Check and record storage unit temperature each workday. See guidance below for each type of temperature monitoring device. Save storage records for 3 years, unless your jurisdiction requires a longer time period.

Deliveries

Vaccine

1. The vaccine will arrive frozen between -50°C and -15°C (-58°F and 5°F).
2. Examine the shipment for signs of damage.
3. Open the box and remove TagAlert Temperature Monitor from box (placed in the inner box next to vaccine).
4. Check the TagAlert temperature monitoring device by pressing the blue “start and stop” button.
 - Left arrow points to a **green checkmark**: The vaccine is ready to use. Store the vaccine at proper temperatures immediately.
 - Right arrow points to a **red X**: The numbers 1 and/or 2 will appear in the display. Store the vaccine at proper temperatures and label **DO NOT USE!** Call the phone number indicated in the instructions or your jurisdiction's immunization program **IMMEDIATELY!**
5. The expiration date is NOT printed on the vaccine vial or carton. To determine the expiration date:
 - Scan the QR code located on the outer carton, or
 - Go to www.modernatx.com/covid19vaccine-eua/.

Ancillary Supply Kit

An ancillary kit with supplies will be provided for administering the vaccine. Administration supplies include needles, syringes, sterile alcohol prep pads, vaccination record cards (shot cards), and some PPE.

The kit is delivered separately from the vaccine. Unpack the kit and check for receipt of the correct administration supplies and quantities.

Freezer

Unpunctured vials may be stored in the freezer between -50°C and -15°C (-58°F and 5°F).

- Store in the original carton.
- Protect from light.
- Do not store with dry ice or below -50°C (-58°F).

MCKESSON

ALERT: Do not Place on Dry Ice

INSTRUCTIONS

- 1 Remove TagAlert Temperature Monitor from Box (placed in inner box next to vaccine)
- 2 Follow Receiver Instructions on the card:
 - Press and hold the Start & Stop button until the Stop icon ● appears
 - Read Indicator Status to determine if the appropriate temperature was maintained during transit.

Receiver Instructions

1. Stop TagAlert Indicator
Press and hold the START & STOP button until the Stop icon ● appears.
2. Read Indicator Status
Accept: Left arrow ● points to Green check mark. Ready for use.
X Reject: Right arrow ● points to Red X and numbers 1 and/or 2. Do not use vaccine. IMMEDIATELY CONTACT THE SUPPLIER. IMMEDIATELY CONTACT THE IMMUNIZATION PROGRAM. IMMEDIATELY CONTACT THE IMMUNIZATION PROGRAM. IMMEDIATELY CONTACT THE IMMUNIZATION PROGRAM. IMMEDIATELY CONTACT THE IMMUNIZATION PROGRAM.

Vaccine should be placed in appropriate storage as soon as possible upon receipt.

Moderna COVID-19 Vaccine

Storage and Handling Summary



Refrigerator

Unpunctured vials may be stored in the refrigerator between 2° to 8°C (36° to 46°F) for up to 30 days.*

- Do NOT refreeze thawed vaccine.
- Thawed vaccine can be handled in room light.
- Monitor how long the vaccine has been in the refrigerator using CDC's beyond-use date labels.
 - Remove the box from frozen storage.
 - Complete the information on the storage label.
 - Attach it to the box holding the vaccine vials.
 - Once labeled, place vaccine in the refrigerator.

Punctured vials may be stored between 2°F and 25°C (36°F and 77°F) for up to 12 hours.

Temperature Monitoring

Storage unit temperatures must be monitored regularly and checked and recorded at the beginning of each workday to determine if any excursions have occurred since the last temperature check. For accurate temperature monitoring, use a digital data logger (DDL) with a detachable probe that best reflects vaccine temperatures (e.g., probe buffered with glycol, glass beads, sand, or Teflon®). Check and record the temperature daily using a temperature log and one of the options below:

- **Option 1: Minimum/Maximum Temperatures (preferred)**
Most DDLs display minimum and maximum (min/max) temperatures. Check and record the min/max temperatures at the start of each workday.

- **Option 2: Current Temperature**
If the DDL does not display min/max temperatures, check and record the current temperature at the start and end of the workday. Review the continuous DDL temperature data daily.

For CDC temperatures logs, see <https://www.cdc.gov/vaccines/covid-19/info-by-product/moderna/index.html>.

Disposal

Once vaccine has reached its expiration or beyond-use date, contact the manufacturer for guidance on whether it can still be used. If instructed to dispose of vaccine, dispose of the vial (with any remaining vaccine) and packaging as medical waste according to your local and state regulations. Contact your jurisdiction's immunization program for guidance (<https://www.cdc.gov/vaccines/imz-managers/awardee-imz-websites.html>).

*Unpunctured vials may be stored between 8° to 25°C (46° to 77°F) for a total of 24 hours.

For additional information, refer to the manufacturer's product information at <https://www.modernatx.com/covid19vaccine-eua/>.

CDC's Moderna COVID-19 materials <https://www.cdc.gov/vaccines/covid-19/info-by-product/moderna/index.html>

CDC's Vaccine Storage and Handling Toolkit <https://www.cdc.gov/vaccines/hcp/admin/storage/toolkit/storage-handling-toolkit.pdf>

CDC's Moderna Beyond-Use Date (BUD) label <https://www.cdc.gov/vaccines/covid-19/info-by-product/moderna/downloads/bud-tracking-labels.pdf>

Moderna COVID-19 Vaccine Transporting Vaccine for Vaccination Clinics Held at Satellite, Temporary, or Off-Site Locations <https://www.cdc.gov/vaccines/covid-19/info-by-product/moderna/downloads/Moderna-Vaccine-Transport.pdf>



Moderna COVID-19 Vaccine

Store vaccine between 2°C and 8°C (36°F and 46°F) for up to 30 days.

Lot number(s): 123456A

Today's date: 4/01/2021 **USE BY*** Date: 5/01/2021

*After this date/time, do NOT use. Contact the manufacturer for guidance. If directed to discard the vaccine, follow the manufacturer's and your jurisdiction's guidance on proper disposal.

.....

Vaccine may be transported for 12 cumulative hours.

Transport date	4/5/21		
Time in transport:	2 hrs		
Time remaining:	10 hrs		

Name: Amy Nurse RN