




SIMES

Petit


Wall and steplight luminaires for the outdoors

Petit,  
accent light  
as wall lights  
and marker.

PETIT Wall applique



MINIPETIT Steplight



**Petit, in its double version,  
as wall applique or marker,  
suggests a creative use of  
light.**

**IP protection**

IP65

**Insulation class**

CLASS III ⚡ STEPLIGHT

CLASS I ⚡ WALL APPLIQUE

**Mechanical resistance**

IK 07

Petit applique, conceived for the higher part of the wall, it draws a sharp and expressive light effect on the vertical surface. With the steplight version instead the light is directed towards the walkway and enhances the space and the texture of the materials.


Both versions have reduced dimensions leading to maintain the same design language within the project. Petit is an outdoor luminaire but due to its minimal dimensions and elegant shapes, it can also be used for the indoors, especially in spas and humid areas.

Wall applique



### Wall applique: vertical light without glare


Petit applique is conceived to design a precise light effect on the vertical surface. Its sharp beam starts only 3cm below the product. To maximize the visual comfort, the LED is properly concealed behind a polycarbonate reflector and totally hidden from the direct view. Maximum attention has been paid also to the finish of the reflector, which is photo etched in the joining lines to assure a perfect distribution of the beam with improved uniformity.



LED  
Reflector


3 cm

Steplight



### Steplight: well defined beam on the horizontal plane

Minipetit is a steplight to be placed at the bottom of the wall. Its uniform beam extends from the wall towards the ground in front, opening in a characteristic rounded shape that seems like a petal. The rearward position of the LED and its tilted position inside the optical system, have been designed to project the beam horizontally, enhancing a wide portion of the front surface. The finishing of the photo etched shutter and the transparent glass, contribute to draw a sharp and graphic light beam.





LED  
Reflector

Wall applique



Wall  
Applique,  
minimal  
shapes to  
draw with  
light



**With its elegant silhouette  
Petit Applique hide itself  
within the architecture while  
emphasizing the lit effect.**





The minimal and compact design of this smooth overhang allows Petit applique to be integrated harmoniously into the context: the wall becomes a white canvas while the light turns into the protagonist of the scene in a game of light and shade effects. The fastening clip-on system and the transparent flush glass contribute to draw an extremely simple shape without any visible screws. Petit Applique is perfect for residential and hospitality projects to characterize a main entrance or facades, porches and terraces. It can be used with the beam facing downwards, or upwards, to enhance architectural details of a ceiling or a vault.





Step marker light,  
in the palm of  
your hand



**A miniaturized luminaire that disappears in the wall and allowing the light to be the main protagonist of the space.**


With its extremely small size, Minipetit Steplight explores the theme of the miniaturization to offer new possibilities of integration between light and architecture. The product placed at the bottom of the wall, ensures a functional walkway light, or scans a path with graphic signs and geometries or enhances the texture of materials. The fixation to its base and therefore to the wall is done with an hexagon screw totally concealed to the view.




# Colours to blend into the outdoor environment




PETIT Wall Applique




**S.1810W**  
 COB LED **3000K** CRI90  
 Rated luminaire luminous flux 1032lm  
 Rated input power 14,5W  
 220V-240V AC 50/60Hz / DC ON/OFF Not Dimmable  
 Computer-simulated photometrics



MINIPETIT Steplight



**S.1801W**  
 HIGH-POWER LED **3000K** CRI90  
 Rated luminaire luminous flux 160lm  
 Rated input power 4,1W **24V DC**  
**Requires constant voltage remote power supply 24V DC**



**.01** White



**.14** Aluminium grey




**.24** Anthracite grey



**Petit Applique and Minipetit Steplight, in their different finishes can easily match the ambiances of both the day and the night.**

White, aluminium grey and anthracite grey are the colours selected for the standard versions.

The Petit range, can also be requested (with surcharge) in other standard colours available in Simes catalogue or in any RAL colours\*.



(\* with minimum order quantity)



SIMES

luce per l'architettura

SIMES S.p.A. VIA G. PASTORE 2/4 - 25040 CORTE FRANCA (BRESCIA) - ITALY  
Tel. (+39) 030 9860411 - Fax (+39) 030 9828308  
simes@simes.com - www.simes.com