
Café Table

1-1/8" Particleboard Core with Flat Banded Edge (F)

TOP constructed of a 11/8" 45lb particleboard core with high-pressure laminate (HPL) top surface and phenolic backer sheet for balanced construction. Flat vinyl edge is secured to the perimeter of the top. All square tops have 2" corner radii. 3" round grommets are available as a field installed option for all Cafe Tables. Grommets have 2 cord access holes and are constructed of impact resistant ABS with a light textured black finish. Grommets have a 1" thick sleeve and a top surface flange diameter of 3.5"



Bases

Columns feature a 6" diameter 1/6" thick round steel tube. Columns have a 1 1/2" x 3" slot at the top of the column for easy cord access. Welded to the top of the column is a 12" diameter 14-gauge mounting plate to allow attachment to laminate tops. Base plates feature an 18" or 24" diameter 6-gauge steel plate with weld nuts for adjustable glides welded to the bottom. Cafe table bases are available in 30" and 42" fixed heights. Laminate tops are attached using six #12 x 3 /4" Pan Head screws per mounting plate. Five 1/2" adjustable leveling glides are standard with a 1/4" adjustment range. Glides are available in nylon. Bases and tops are specified and ship separate. All tops require field installation.

Compliance


- > Tested to applicable ANSI/BIFMA Furniture Standards
- > Indoor Advantage™ Gold. Indoor air quality certified to SCS-EC10.3-2014






Base Assembly | 42" Table Height

DCBR-1842.4	18.0"	40.82"
DCBR2442.4	24.0"	40.82"









MODEL	WIDTH	DEPTH
DCT-SQ30F	30.0"	30.0"
DCT-SQ36F	36.0"	36.0"
DCT-SQ30M	30.0"	30.0"
DCT-SQ36M	36.0"	36.0"





MODEL	WIDTH
DCT-RD30F	30.0"
DCT-RD36F	36.0"
DCT-RD42F	42.0"
DCT-RD30M	30.0"
DCT-RD36M	36.0"
DCT-RD42M	42.0"





MODEL	WIDTH	DEPTH
DCT-RT3372F	72.0"	33.0"
DCT-RT3372M	72.0"	33.0"