

RUBBERWORX









2020

**RUBBERWORX
INDUSTRIAL HOSE PRODUCTS**










RUBBERWORX

INDUSTRIAL HOSE PRODUCTS - WATER, PETROLEUM, AND OILFIELD

	PRODUCTS	SPECIFICATIONS	DETAILS	SIZE
WATER SUCTION AND DISCHARGE	1002 	Tube: PVC Reinforcement: NA Cover: PVC Temp: -23°F to 140°F Pressure: 35-100 PSI	PVC WATER SUCTION AND DISCHARGE This light-duty water suction and discharge hose is designed for use in construction, dewatering, agricultural and industrial applications. PVC tube designed to handle residual chemicals in water transfer applications.	3/4" to 12" Rolls & Sticks
	1006 	Tube: Green PVC Reinforcement: NA Cover: Green PVC Temp: -23°F to 140°F Pressure: 35-100 PSI	PVC WATER SUCTION AND DISCHARGE This light-duty water suction and discharge hose is designed for use in construction, dewatering, agricultural and industrial applications. PVC tube designed to handle residual chemicals in water transfer applications.	3/4" to 12" Rolls & Sticks
	1004 	Tube: Black EPDM Reinforcement: Textile/Helix Cover: Black EPDM Temp: -13°F to 158°F Pressure: 150 PSI	WATER SUCTION AND DISCHARGE 150 PSI This heavy-duty water suction and discharge hose is designed for use in construction, dewatering, agricultural and industrial applications. Abrasion and ozone resistant EPDM cover. EPDM tube designed to handle residual chemicals in water transfer applications.	1" to 12" Rolls & Sticks
PETROLEUM SUCTION AND DISCHARGE	2001 	Tube: Black Nitrile Reinforcement: Textile Cover: Black Nitrile Temp: -22°F to 158°F Pressure: 150 PSI	PETROLEUM SUCTION AND DISCHARGE 150 PSI This heavy-duty petroleum suction and discharge hose is designed for use with oils, petroleum based products, and refined fuels. For use in offshore oil transfer, tank truck, oilfield transfer and oil pumping applications.	3/4" to 8" Rolls & Sticks
	2003 	Tube: Black Nitrile Reinforcement: Textile/helix Cover: Black Nitrile Temp: -40°F to 180°F Pressure: 300 PSI	PETROLEUM TRANSFER 300 PSI This heavy-duty petroleum suction and discharge hose is designed for use with oils, petroleum based products, and refined fuels. For use in offshore oil transfer, tank truck, oilfield transfer and oil pumping applications.	2" to 8" Rolls & Sticks
	2008 	Tube: Black NBR Reinforcement: Textile Cover: Black NBR Temp: -40°F to 194°F Pressure: 250 PSI	OIL SERVICE DOCK 250 PSI This heavy-duty petroleum dock hose is designed for use with oils, petroleum based products, and refined fuels. For use in offshore oil transfer, tank truck, oilfield transfer and oil pumping applications. Rated for up to 50% aromatic content.	2" to 16" 10', 20'
OILFIELD HOSE	6001 	Tube: Black SBR Reinforcement: Textile/helix Cover: Black SBR Temp: -22°F to 158°F Pressure: 300 PSI	OILFIELD SUCTION AND DISCHARGE 150 PSI This heavy-duty oilfield suction and discharge hose is designed for use with unrefined oils, drilling mud, well water, sewage, salt water, and refined fuels. For use in oilfield service for tank trucks, oilfield transfer and pumping applications.	2" to 6" Rolls
	6003 	Tube: Black SBR Reinforcement: Textile/helix Cover: Black SBR Temp: -22°F to 158°F Pressure: 150 PSI	OILFIELD SUCTION AND DISCHARGE 150 PSI - RED STRIPE This heavy-duty oilfield suction and discharge hose is designed for use with unrefined oils, drilling mud, well water, sewage, salt water, and refined fuels. For use in oilfield service for tank trucks, oilfield transfer and pumping applications.	2" to 6" Rolls






RUBBERWORX

INDUSTRIAL HOSE PRODUCTS - MATERIAL HANDLING & MULTI-PURPOSE HOSE

	PRODUCTS	SPECIFICATIONS	DETAILS	SIZE
MATERIAL HANDLING HOSE	4001 	Tube: Black SBR Reinforcement: Textile Cover: Black SBR Temp: -40°F to 180°F Pressure: 200 PSI	SAND STAR XHD 75 PSI - 1/4" WALL This extra heavy-duty hose is specifically designed with a static dissipating, abrasion resistant tube designed for use in pneumatic transfer of frac sand, dry cement, silica, lime, and other non-FDA material transfer applications.	4" to 5" Rolls
	4014 	Tube: Black SBR Reinforcement: Textile Cover: Black SBR Temp: -40°F to 180°F Pressure: 250 PSI	SAND STAR XHD 150 PSI - 1/4" WALL This heavy-duty hose is specifically designed with a static dissipating, abrasion resistant tube designed for use in pneumatic transfer of frac sand, dry cement, silica, lime, and other non-FDA material transfer applications.	4" to 5" Rolls
	4002 	Tube: Black SBR Reinforcement: Textile Cover: Black SBR Temp: -40°F to 180°F Pressure: 300 PSI	DRY BULK DISCHARGE 75 PSI - 1/8" WALL This medium-duty hose is specifically designed with a static dissipating, abrasion resistant tube designed for use in pneumatic transfer of fly ash, dry cement, and other non-FDA material transfer applications.	4" to 5" Rolls
	4003 	Tube: Black SBR Reinforcement: Textile Cover: Black SBR Temp: -40°F to 800°F Pressure: 200 PSI	DRY BULK DISCHARGE 75 PSI - 3/16" WALL This medium-duty hose is specifically designed with a static dissipating, abrasion resistant tube designed for use in pneumatic transfer of fly ash, dry cement, and other non-FDA material transfer applications.	4" to 5" Rolls
	4007 	Tube: Black EPDM Reinforcement: Textile/helix Cover: Black EPDM Temp: -40°F to 350°F Pressure: 100 PSI	HOT AIR BLOWER HOSE 350° F. This EPDM hose is specifically designed for the transfer of hot air up to 350°F for use with pneumatic blowing systems in dry bulk transfer applications.	2" to 4" Rolls
	4009 	Tube: Black SBR Reinforcement: Textile Cover: Black SBR Temp: -40°F to 800°F Pressure: 150 PSI	4 PLY SANDBLAST 150 PSI This heavy duty four ply sandblast hose is specifically designed for use sandblast applications where highly abrasive silica and other abrasives are conveyed at high velocity. The highly abrasive and robust tube prevents kinking and premature internal wear.	1/2" to 2" Rolls
MULTI-PURPOSE HOSE	F011 	Tube: White FDA Nitrile Reinforcement: Textile/helix Cover: Gray PVC/Nitrile Temp: -40°F to 180°F Pressure: 150 PSI	POTABLE WATER TRANSFER 150 PSI This heavy-duty water suction and discharge hose is designed for use onshore and offshore applications for the transfer of potable water. White Nitrile tube meets FDA requirement for the transfer of drinking water.	2" to 4" Rolls

RUBBERWORX

INDUSTRIAL HOSE PRODUCTS - MATERIAL HANDLING & HIGH PRESSURE AIR

	PRODUCTS	SPECIFICATIONS	DETAILS	SIZE
HIGH PRESSURE AIR	5002 	Tube: Black NBR Reinforcement: Wire Braid Cover: Yellow Synthetic Rubber Temp: -22°F to 180°F Pressure: 600 PSI	600 PSI WIRE AIR BRAID This heavy duty wire reinforced air hose with a pin pricked cover is specifically designed for use in compressed air service in industrial, construction, drilling and mining applications. The ozone and abrasion resistant cover holds up to the toughest job.	1/2" to 6" Rolls
	5005 	Tube: Black NBR Reinforcement: Textile Braid Cover: Yellow Synthetic Rubber Temp: -22°F to 180°F Pressure: 300 PSI	300 PSI TEXTILE BRAID AIR This heavy duty textile reinforced air hose with a pin pricked cover is specifically designed for use in compressed air service in industrial, construction, drilling and mining applications. The ozone and abrasion resistant cover holds up to the toughest job.	1.5" to 4" Rolls
CHEMICAL SUCTION AND DISCHARGE				
				
	8012 	Tube: Black FDA UHMW Reinforcement: Textile/helix Cover: EPDM Temp: -40°F to 210°F Pressure: 250 PSI	GREEN UHMW CHEMICAL SUCTION AND DISCHARGE 250 PSI This heavy-duty chemical suction and discharge hose is designed for use in a wide variety of chemicals in agricultural and industrial applications. UHMWPE tube handles a wide variety of chemicals and meets FDA standards for food service. Corrugated cover design for improved flexibility.	3/4" to 6" Rolls & Sticks

ORDER FROM ONE OF OUR AUTHORIZED DISTRIBUTORS

RUBBERWORX

4 STAR HOSE & SUPPLY

A: 10704 Composite Dr.
Dallas, TX 75220
P: 800-421-5519
F: 214-351-0904

ALLIED RUBBER & SUPPLY CO.

A: 1655 RT 65.
Ellwood City, PA 16117
P: 800-242-1670
F: 724-535-7400

CONNECTALL LTD

A: 10704 Composite Dr.
Dallas, TX 75220
P: 877-335-7755
F: 514-335-6573

FOSTER HOSE & FITTINGS

A: 10452 Baur Blvd.
St. Louis, MO 63132
P: 314-997-3111

HAMPTON RUBBER

A: 1669 West Pembroke Ave.
Hampton, VA 23661
P: 757-722-9818

HANNA RUBBER COMPANY

A: 908 W. 25th St.
Kansas City, MO 64108
P: 816-221-9600
F: 816-421-0583



HYDRAULIC HOSE & ASSEMBLY NATIONAL HOSE & ACCESSORY PRC INDUSTRIAL SUPPLY

A: 639 Main St.
Gorham, ME 04038
P: 800-540-3702

A: 1831 South Richey
Pasadena, TX 77502
P: 713-920-2030
F: 713-920-1733

A: 21 West Commercial St.
Portland, ME 04112
P: 207-774-3993
F: 207-775-3351

RW CONNECTION

A: 936 Links Ave.
Landisville, PA 17538
P: 800-355-7974
F: 717-898-5272

SMITH INDUSTRIAL

A: 5463 International Dr.
Rockford, IL 61109
P: 815-874-5364

SUMMERS RUBBER COMPANY

A: 12555 Berea Rd.
Cleveland, OH 44111
P: 800-686-5801
F: 216-941-4673

TEXAS RUBBER SUPPLY

A: 1210 Avenue H East.
Arlington, TX 76011
P: 800-366-2904