

Disaster Restoration
Remediation &
Asbestos Abatement

 **ABATEMENT**
TECHNOLOGIES®
LEADERS IN CLEAN AIR

Our Company

We are a proud Canadian company who manufactures our own Abatement Technologies branded equipment in Fort Erie, Ontario.

We believe in producing equipment of the highest quality and materials made to exacting standards. Our highly knowledgeable staff is committed to supporting you with customized solutions for all of your restoration and asbestos abatement projects.

While quality equipment is of the utmost importance, we recognise that our customers need much more than just equipment to function on the job. For this reason we have added extensive lines of consumable products, safety equipment, personal protective equipment, and training to truly become a one-stop destination for all your abatement, remediation, and restoration needs.





Our Fleet is Ready to Serve You

Keeping your equipment up-to-date and safe to use is not only important for compliance but to ensure preventable injuries don't happen. We know this is important and we are continually expanding the testing and inspection services we offer to help keep you and your crew safe, secure, and In-Spec.

Trust our professionals to make sure your equipment is up-to-date and working properly with these In-Spec services:

- Harness Inspection/Certification
- Lanyard Inspection/Certification
- Sling Adapter Inspection/Certification
- SRL/SRD Inspection/Certification
- Respiratory FIT Testing
- DOP-PAO Testing/Certification

Equipment Leasing

Contact your branch for details.

Service and Repair

We offer equipment repair on most major brands of dehumidifiers, air filtration units, drying fans and more.



Comprehensive Training Programs

Abatement Technologies offers training courses for various industry professionals. Browse through our events listing online to find courses for healthcare construction, duct cleaning, disaster restoration and infection control. Each year, the Aire Guardian® Academy offers courses at our facilities across Canada. Our curriculum is supported by accredited trainers that provide courses for the CSA, IICRC, OH&S and more. We can also arrange training in your own facility.

IICRC (Restoration Training)

- Water Damage Restoration Technician (WRT)
- Applied Microbial Remediation Technician (AMRT)
- Fire & Smoke Damage Restoration Technician (FSRT)
- Commercial Drying Specialist (CDS)

Other Industry Training

- Asbestos Abatement Worker (MTCU Program 253W)
- Asbestos Abatement Supervisor (MTCU Program 253S)
- Asbestos Awareness (4 Hour)
- CSA – Infection Control During Construction, Renovation, and Maintenance of Healthcare Facilities

Course offerings may vary by branch. Please check Abatement.ca for full details.



Table of Contents

Commercial Drying Equipment	5-6	Disposal Gloves Bags	21
Portable HEPA Vacuums	7	Accessories, Signs	22
Air Filtration and Negative Air Machines	8-9	Mould Coatings and Disinfectant	22-23
Decontamination Showers and Pumps	10	Foggers and Sprayers	24
Monitoring & Detection Instruments	11	Personal Protective Equipment	25
Air Sampling	12	Respiratory Protection	26-27
Finishing Solutions	13	Supplied Air	28
Adhesive Tapes and Spray Glues	14	Fall Protection	29
Containment	15	Specialty and Hand Tools	30
Containment Barriers	16-17	Lighting and Electrical	31
Containment Products	18	Demolition Tools	32-33
Zipwall Containment Products	19	Duct Cleaning Equipment	34-35
Disposal Bags	20		



CANADA: 800-827-6443 • US: 800-634-9091 • WWW.ABATEMENT.CA



Commercial Drying Equipment

DEHUMIDIFIERS

The new AQUATRAP® RS line from Abatement Technologies® delivers the same powerful structural drying power as their predecessors and now features a stackable roto-molded plastic cabinet.

AQUATRAP® AT150RS LGR Dehumidifier



- Water removal (90°F / 90% RH): 134 Pints / 63L per day
- Water removal (81°F / 60% RH): 74 Pints / 35L per day
- Water removal (50°F / 70% RH): 32 Pints / 15L per day
- Amperage: 7.5A max
- Rated air flow: 354 CFM / 600 m3/h

PART NO: AT150RS

AQUATRAP® AT250RS LGR Dehumidifier



- Water removal (90°F / 90% RH): 266 Pints / 126L per day
- Water removal (81°F / 60% RH): 147 Pints / 70L per day
- Water removal (50°F / 70% RH): 69 Pints / 33L per day
- Amperage: 13A max
- Rated air flow: 413 CFM / 700 m3/h

PART NO: AT250RS

AIR MOVERS

RAM Air Movers from Abatement Technologies® are the preferred choice of water restoration professionals.

RAM Low Profile Air Movers



PART NO: RAM1000LP

- 2 Speed settings: High (1000CFM) and Low (700 CFM)
- Can be placed in 4 drying positions
- Onboard GFCI protects against electrical shock in damp or wet applications
- Designed to stack for easy storage
- Easy-clean, removable front grill and polyethylene housing
- Conforms to UL 507 and CSA 22.2 No. 113 standards
- Hour meter
- Resettable circuit breaker
- Weighs 20.3 lbs
- Less than 2 amps on high

RAM Centrifugal Air Movers



PART NO: RAM1000

- High velocity: 2,850 fpm @ high speed
- Air volume: 1,125 CFM @ high speed
- 2.2 amps (low speed) / 2.8 amps (high speed)
- Perfect weight balance: Weighs only 25 lbs
- 3 operating positions: Horizontal, 45 degrees and vertical

RAM High-Volume Axial Air Movers



PART NO: RAM3000

- Rotational-molded polymer housing
- High volume airflow: 2,300 CFM on low / 3,450 CFM on high
- Attached 25-foot power cord with grounded plug
- Built-in cord wrap
- Low-profile, recessed controls
- High / off / low 3-position switch
- Ergonomic handle

DEHUMIDIFIER PHOENIX DESICCANT
PART NO: D385



**AUTHORIZED
DISTRIBUTOR**

PHOENIX DRYMAX XL LGR DEHUMIDIFIER
PART NO: 4037000 (RED) & 4036060 (BLUE)



PHOENIX AIRMAX-RADIAL AIR MOVER
PART NO: 4035060-B



**AUTHORIZED
DISTRIBUTOR**



VAC-IT FLOOR DRYING PANELS
PART NO: NJVACITPA-VP



INJECTIDRY FLOOR DRYING PACKAGE
PART NO: INJ-HP-PLUS-FDP



WATER SEPARATOR
PART NO: INJWS

ABATEMENT TECHNOLOGIES HAS ACCESS TO THE FULL LINE OF PHOENIX RESTORATION EQUIPMENT AND INJECTIDRY FLOOR DRYING EQUIPMENT.
PLEASE CONTACT YOUR SALES REPRESENTATIVE FOR MORE DETAILS.



Portable HEPA Vacuums

Canister Style Wet/Dry HEPA Vac



PART NO: V8000WD

- Exceptional wet/dry performance: 135 CFM and 92" static lift
- Portable, compact and lightweight design: 22 lbs
- Durable polyethylene cabinet
- 1.6 HP motor
- Comes with complete toolset
- 8-gallon tank capacity
- 22' power cord
- Filters:
 - V8042, V8042-W HEPA, 99.97% Efficiency 1/ea
 - V8040 - Replacement Bags 5/pk

Backpack HEPA Vac



PART NO: V10D

- Lightweight, ergonomic design to reduce fatigue
- Powerful 99 CFM airflow and 96" static lift
- Upstream HEPA filter rated 99.99% @ 0.3 microns
- Toolset included
- 50' power cord
- Filters:
 - V1471097500 - Dust Bag, 5/pk
 - V1471104500 - HEPA Filter, 1/ea

Canister Style Dry HEPA Vac



PART NO: V930D

- Exceptional performance: 74 CFM and 92" static lift
- Portable, compact & lightweight design: 16.5 lbs
- Sturdy chrome-plated steel container
- True 99.97%+ efficiency HEPA filter
- Toolset included
- 4-gallon tank capacity
- 32' power cord
- Filters:
 - V93040 - Replacement Bags, 10/pk
 - V930-10 - HEPA Filter, 1/ea

Hepa Vacuum DustlessVac® Wet+Dry 16 GAL w/12' Hose



PART NO: DT-D1606

- Fully certified and serialized HEPA Filter Vacuum
- Go between wet and dry without switching filters
- Large capacity barrel holds 40 lbs of dust
- Dimensions: 20" L x 21" W x 26" H
- Weight: 41 lbs
- Colour: Yellow/Black
- Water Lift: 103.60"
- Air Flow: 130.90 CFM
- Voltage: 120
- Amps: 10.60
- Noise Level: 79 dB
- Cord Length: 15'
- Hose Length: 12'
- Filters:
 - DT-13201 -HEPA filter
 - DT-13141 Pre-filter bags 2/pk

Dustless



TIGER-VAC® EC12G WET/DRY HEPA VACUUM 12 GAL



PART NO: TV-EC12GHEPA

- For wet and dry recovery
- Filtration efficiency of 99.99% on 0.3 micron
- Tank made of HD epoxy coated metal
- Exhaust silencer for a quieter operation
- Filters:
 - TV-211027B HEPA Filter 1/ea
 - TV-2111063 Filter Bags 5/pk



Tiger-Vac®

...The name to vacuum with



ABATEMENT TECHNOLOGIES HAS ACCESS TO THE FULL LINE OF DUSTLESS AND TIGER-VAC PRODUCTS. PLEASE CALL YOUR SALES REPRESENTATIVE FOR MORE DETAILS.



Air Filtration and Negative Air Machines



AIR FILTRATION AND NEGATIVE AIR MACHINES

PREDATOR®	AIRFLOW	CABINET	WEIGHT LBS (W/ FILTERS)	PEAK POWER DRAW	SPEED CONTROL	POWER ON LAMP	AUDIO ALARM
1. PRED750	200 - 750 CFM	Polymer Housing	35	1.9 AMPS	VARIABLE	✓	N/A
2. PRED1200	300 - 900 CFM	Polymer Housing	70	3.5 AMPS	VARIABLE	✓	N/A
HEPA-AIRE							
3. PAS750	200 - 750 CFM	Anodized Aluminum	35	1.9 AMPS	VARIABLE	✓	N/A
4. PAS1200	300 - 900 CFM	Stainless Steel	85	3.5 AMPS	VARIABLE	✓	N/A
5. PAS1600SHS	1900 CFM	Stainless Steel	131	8.5 AMPS	ON/OFF	N/A	N/A
6. PAS2400	700 - 2,100 CFM	Stainless Steel	170	12 AMPS	HIGH/LOW	✓	N/A
7. PAS5000	4000 CFM	Galvanized Steel	395	23 AMPS	ON/OFF	N/A	N/A
8. HI990M	1,050 - 1,600 CFM	Galvanized Steel	125	9 AMPS	HIGH/LOW	N/A	N/A
9. H2KM	1,600 CFM	Galvanized Steel	125	10 AMPS	HIGH/LOW	N/A	N/A
10. H2KMA	1,600 CFM	Galvanized Steel	125	10 AMPS	HIGH/LOW	N/A	✓
BULLDOG							
11. BD2KM	1,300 - 2,000 CFM	Polymer Housing	117	10 AMPS	HIGH/LOW	N/A	N/A
12. BD2KMA	1,300 - 2,000 CFM	Polymer Housing	117	10 AMPS	HIGH/LOW	N/A	✓

DUCTING AND CLAMPS

	PRED750	PRED1200	PAS750	PAS1200	PAS1600SHS
13. Lay Flat Outlet Ducting, 500' Roll	H2015-10	H2015-10	H2015-10	H2015-10	H2015-12
14. Clear Wire-Reinforced Mylar, 25'	H2020-10	H2020-10	H2020-10	H2020-10	H2020-12
15. Hvy Duty Wire-Reinforced PVC	H2030-10	H2030-10	H2030-10	H2030-10	H2030-12
16. Flex Duct Attachment Clamp	H2350-10	H2350-10	H2350-10	H2350-10	H2350-12



Air Filtration and Negative Air Machines



INCLUDED WITH THE BASE UNIT

OPTIONAL

CHANGE FILTER LAMP	DIFFERENTIAL PRESSURE GAUGE	PRE-FILTER	PLEATED FILTER	FINAL STAGE HEPA FILTER	PREMIUM VAPOR-LOCK CARBON	ECONOMY VAPOR-LOCK CARBON
✓	N/A	F621	H502	H161606-99	VL1002	VL602
✓	N/A	F621	H502	H610C-99	VL1002	VL602
✓	N/A	F621	H502	H161606-99	VL1002	VL602
✓	N/A	F621	H502	H610C-99	VL1002	VL602
✓	✓	H2003	H2002	H242406DGB	VL2024	N/A
✓	N/A	F1821	H1902	H2418-99	VL2002	N/A
N/A	✓	H2001 (2)	H2002 (2)	H242406-99 (2)	VL2024 (2)	N/A
✓	N/A	H1901	H1902	H1910M	N/A	N/A
✓	N/A	H2001	H2002	H242406-99	VL2024	N/A
✓	✓	H2001	H2002	H242406-99	VL2024	N/A
✓	N/A	H2001	H2002	H242406-99	VL2024	N/A
✓	✓	H2001	H2002	H242406-99	VL2024	N/Av

PAS2400	PAS5000	BD2KM/8.4583 INBD2KMA	H1990M	H2KM/H2KMA
H2015-12	H2015-12	H2015-12	H2015-12	H2015-12
H2020-12	H2020-12	H2020-12	H2020-12	H2020-12
H2030-12	H2030-12	H2030-12	H2030-12	H2030-12
H2350-12	H2350-12	H2350-12	H2350-12	H2350-12



Decontamination Showers

EASY UP™ Decontamination Shower



The EASY UP™ S4000EU Decontamination Shower from Abatement Technologies is large enough to fit tall workers yet small and light enough for a worker to hand carry like a suitcase.

- Weighs only 41 pounds
- Compact - 30"L x 30"W x 81"H (Fully extended)
- Fast Set Up
- Easy to Transport & store
- All accessories store neatly inside (Curtains, shower head, mixing valve and collapsible corner poles)

PART NO: S4000EU

Telescoping Shower



TeleShower is easily transported to the job site and set up in minutes

- Carrying handles
- Reinforced floor is hinged for filter access and cleaning
- Collapsed dimensions: 33.375"L X 29.5"W X 50.625"H
- Door opening: 2.5"W X 72.5"H
- Corrosion-resistant marine alloy aluminum for easy decontamination
- 100 micron filter bag
- Hot and cold water controls with fixed shower head
- Drain fitting for connection to pump unit or building drain

PART NO: S5000ET

Shower Pump with Filtration



- First stage filter for particles 25microns or larger
- Second stage filter for particles 5microns or larger
- Power requirements: 110V/60Hz
- Filtration flow of 6 gal (US)/min or 23 L/min
- Weighs 40 lbs/18kg

PART NO: S5300

D-CON Decontamination Shower Blue Grayling 77"



D-CON™ Decontamination Shower Blue Grayling 77"

- Eliminates the hassle and cost of constructing a temporary decontamination facility on-site
- Reduces labour costs through quick and easy set up
- Can withstand daily rigors of abatement projects without losing structural integrity
- Available in several different configurations

PART NO: S1002002

Abatement Hair & Body Shampoo, 12 Bottles Per Case



- Biodegradable
- PH balanced
- Durable plastic container
- Low sudsing
- Sold in cases of 12 ea. 946 ml. dispenser bottles

PART NO: AS450

Disposable Bath Towels 15" X 30" 2 Ply - 300/CS



- Economical
- No laundering involved
- Soft and smooth 2-ply material

PART NO: DC-3400-300



Monitoring and Detection Instruments

Single Room Pressure Monitor



Abatement Technologies® RPM Series Differential Pressure Monitors provide 24/7 monitoring and recording of differential air pressure relationships between multiple rooms or areas within a healthcare facility.

- User-friendly, menu-driven touch screen
- Password protection feature (can be disabled)
- Visual & audible alarms with audio alarm delay & timed shutoff features
- Single or Dual Room available

PART NO: RPM-RT1W OR RPM-RT2

Portable Differential Pressure Monitor



The PPM3-S Portable Room Pressure Monitor from Abatement Technologies® is an essential tool for measuring the real-time pressure differential between two adjacent areas within a facility.

- Easy to use, color touch screen display
- Effective, Differential pressure measurement in ranges of -0.10inWC (-25 Pa) to +0.10inWC (+25 Pa)
- Archived history logs are easily downloaded in CSV format to a USB flash drive

PART NO: PPM3-S



THERMAL IMAGING AND INFRARED CAMERAS



MOISTURE METERS AND WALL SCANNERS





Air Sampling



Allegro Sampling PCM cassette 25mm/.8u



A 25mm cassette with .8µm pore size for asbestos sampling. The high-quality cassette incorporates a 2" cowl and meets stringent quality standards. 50 per box. The cassettes are designed and manufactured to meet all applicable NIOSH/EPA/OSHA Standards. Each cassette is individually assembled, preloaded, flow tested, and marked under stringent quality assurance procedures.

PART NO: 9804-16

MCE Air Sampling Cassette Lead



This 37mm, MCE cassette is .8µm mixed cellulose ester and is specifically designed for lead sampling. 50 per box. The cassettes are designed and manufactured to meet all applicable NIOSH/EPA/OSHA Standards for lead sampling. Each cassette is individually assembled, preloaded, flow tested, and marked under stringent quality assurance procedures.

PART NO: 9804-14

Allegro Multi-Mold M2 Cassettes



The M2 is patented, two-sided sampling cassette for easier and more efficient use in the field and in the laboratory. This is the first cassette to provide sampling options to field personnel. Each cassette can be used to:

- Collect two different samples
- Collect two identical samples concurrently
- Collect one sample while using the other side as control

PART NO: 9804-20 (BOX OF 25 CASSETTES / 50 SAMPLES)

9804-21 (BOX OF 5 CASSETTES / 10 SAMPLES)

The M2 cassette is also the very first of its kind for laboratory personnel. It provides one-time preparation for two samples, pre-printed traverse marks on the collection side for standardized counting, and side-by-side comparison of samples under the microscope.

TEM Air Sampling Cassette



This 25mm, .45µm + -5.0µm cassette is designed for asbestos final clearance testing. The cassettes incorporate a 2" static conductive extension cowl and meets all applicable standards. 50 per box.

PART NO: 9804-17

T101 Jarless Sampling Pump (Rotary Vane)



Lightweight and low maintenance, this rotary vane sampler has a sampling range of 0-30 LPM and is an excellent resource for sampling asbestos (25mm cassettes), lead (37mm cassettes) and mold. This sampler is the best value in the market today, meets OSHA and AHERA standards and comes complete with six feet of vinyl tubing, inline filters, rubber feet, for stability, handle and built-in switch. Optional adjustment aluminum stand. Weight 10 lbs.

PART NO: 9801 (WITH STAND) & 9801-88 (WITHOUT STAND)



Finishing Solutions

Floor and Surface Protection

Surface Protection Mat Floorotex®



- Innovative temporary floor protection
- Reusable
- Non-slip
- Breathable
- P-8650 40" x 168" per roll
- P-8651 40" x 84" per roll

PART NO: P-8650 & P-8651

Clear Carpet Mask, 1 Roll per Case



- Easy to apply and remove
- Puncture and tear resistant
- Saves clean up time and expense
- Not for use on hard surface floors
- 24" x 200" per roll

PART NO: P-CM340CLR

Heavy-Use Protection for Floor, Countertops & More



Abatement Technologies® Floor Protector Roll is the perfect, reusable, non-slip product to protect all of your hard and soft surfaces and counterst. Use this product to keep your tools and other items clean and your floors protected.

- 27" x 20ft per roll

PART NO: P-NEO/6

Heavy-Use Protection for Floor, Countertops & More



Abatement Technologies® Floor Protector Roll is the perfect, reusable, non-slip product to protect all of your hard and soft surfaces and counterst. Use this product to keep your tools and other items clean and your floors protected.

- 27" x 20ft per roll

PART NO: P-NEO/6/BLUE


Sticky Mats



- Pack of 30 sheets of 24" x 36" blue polyethylene mats (sold in 10 packs)
- Pressure-sensitive adhesive on top of each mat removes contaminants from shoes and wheels
- Peel and toss away top sheet when dirty

PART NO: SM2436

Sticky Mat Frame



The sticky mat frame is used to hold sticky mats in place (SM2436). It also protects floors and increases functionality with its mobility so you can move them from room to room with ease.

PART NO: P-SM377



Adhesive Tapes and Spray Glues



We carry an extensive array of tapes, including vinyl film, painters, duct and multi-purpose from trusted brands such as Nashua, Echo and Polyken, in addition to our own private label branded tapes. Whatever the specific application, construction, restoration, abatement, maintenance or healthcare, we have the tape you need to get the job done.

Many other types and brands of tapes are available, contact your Sales Representative to inquire.

ABATEMENT BRAND TAPES

PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
DT-VT-2-BL	Vinyl Tape Blue 48mm X 55m	24/Case
DT-VT-3-BL	Vinyl Tape Blue 72mm X 55m	16/Case
DT-VT-2-WH	Vinyl Tape White 48mm X 55m	24/Case
DT-VT-3-WH	Vinyl Tape White 72mm X 55m	16/Case
DT-VT-2-SIL	Vinyl Tape Silver 48mm X 55mm	24/Case

NAME BRAND TAPES

PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
DTVI-N6120-BL-2	Echo® Vinyl Tape Black 48mm x 55m (2" x 60 yds)	24/Case
DTVI-N6120-BL-3	Echo® Vinyl Tape Black 72mm x 55m (3" x 60 yds)	16/Case
DTVI-N6120-OR-2	Echo® Vinyl Tape Orange 48mm x 55m (2" x 60 yds)	24/Case
DTVI-N6120-OR-3	Echo® Vinyl Tape Orange 72mm x 55m (3" x 60 yds)	16/Case
DTVI-N6120-WH-2	Echo® Vinyl Tape White 48mm x 55m (2" x 60 yds)	24/Case
DTVI-N6120-WH-3	Echo® Vinyl Tape White 72mm x 55m (3" x 60 yds)	16/Case
DT757-WH-2	Tape 48mm x 55m - Pinked Polyken® White	24/Case
DT757-WH-3	Tape 72mm x 55m - Pinked Polyken® White	16/Case
DT-CP150-2	Green Painters Tape (2" x 60 yds)	24/Case
DT-140B	NASHUA® Blue Painters Grade Masking Tape 48mm x 55m	24/Case
DT2280-2	NASHUA® Duct tape - 2" 2280	24/Case
DT2280-3	NASHUA® Duct tape - 3" 2280	16/Case
DT-1088329	NASHUA® 2" CleanDrape Double- Sided Abatement Tape	24/Case
DT205-2	Tuck Tape (2" x 72 yds)	20/Case
DTMK-K5463	Blue Painters Tape 2" (48mm x 55m)	24/Case

SPRAY GLUE

PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
A357	NASHUA® 357 Premium Spray Adhesive	12/Case
AS398	NASHUA® 398 Multi-Purpose Spray Adhesive	12/Case



Containment

POLY SHEETING

Available in different thicknesses




PART NO.	PRODUCT DESCRIPTION
DS-8000-M	Clear Polyethylene Sheet (Medium) 10' x 100'
DS-8000-H	Clear Polyethylene Sheet (Heavy) 10' x 100'
DS-8000-XH	Clear Polyethylene Sheet (Extra Heavy) 10' x 100'
DS-5040-00	Clear Polyethylene Sheet CSBG 20' x 100' - 6 mil
DS-8500	Orange Rip Proof Sheet 12' x 100'
DS-8500W	White Rip Proof (Heavy) 12' x 100'
DS-8500FR	White Fire Retardant Rip Proof 10' x 100'

TARPS WITH GROMMETS

PART NO.	PRODUCT DESCRIPTION
SC-JC510	Blue Polyethylene Tarp 30' x 50'
DS-71012	White Polyethylene Tarp 10' x 12'
UTWW50100	White Tarp 50' x 100'

**Other sizes and colours are available upon request*


POLY HANGERS



PART NO: PHC102



PART NO: PH3



PART NO: PH4

Support poly sheeting from the ceiling grid with these various styles of hangers.

Containment Barriers

for CSA, CDC and ICRA Guideline Compliance



Containing a construction space can be costly and complicated. The AIRE GUARDIAN® Shield provides a quick, easy, single tool, and virtually dust-free solution to simplify the containment process in even the most sensitive areas.



FAST SET UP



ADAPTABLE



ATTRACTIVE CONTAINMENT



EASY DECON



REUSABLE



SECURE



CLASS A FIRE AND SMOKE



UP TO ICRA CLASS IV





- Panel Widths: 48", 36", 24", 12"
- Adjustable Height: 7' to 10' 3"



- Aluminum & Polycarbonate construction
- Articulating floor plates
- Closed cell foam gaskets
- Smooth, clean exterior surfaces
- Single Tool Assembly
- Door Widths: 32", 44", Inward & Outward Swing
- Locking Doorknob or Optional Keyless Pinpad



Fixed 90° Inward & Outward Corners



Flexible Inward & Outward Corners with 135° adjustable range



T-Connection Inward 90° T-off from the inside



T-Connection Outward 90° T-off from the outside

TRANSPORTATION CART



8", 10" & 12" COLLARS



Interchangeable drop-in plate exhaust system

HARDWARE CONNECTORS



CONTACT YOUR SALES REPRESENTATIVE FOR MORE DETAILS ON THIS NEW INNOVATION IN CONTAINMENT.



Containment Products for CSA, CDC and ICRA Compliance

Portable containment carts for easy, safe access above ceilings.

AIRE GUARDIAN® 8000 Mobile Containment Cart



- Unique upper header design gives workers unmatched height access above ceiling tiles while keeping them safe and OSHA compliant
- Height adjustment mechanism affords single-handed header extension and retraction to any ceiling height up to 10'
- Cart designed with exceptional structural integrity featuring easy to clean anodized aluminum frame with clear polycarbonate walls, 900 lb load rating and secure locking casters.
- Includes 16', 3-Section Fiberglass Extension Ladder

PART NO: AG8000-PAS



AIRE GUARDIAN® 3000 Mobile Containment Cube



- Enclosure is made from a tough, reinforced-PVC material
- Easy to adjust upright poles with numbered settings
- Precise adjustment to any ceiling height from 8' to 10'
- Large view windows on 4 sides
- Zippered entry/exit doors on 3 sides
- Top zippers for full above-ceiling access
- Clear view windows for visibility & light

PART NO: AG3000MCKK



GRILL MASK

Grill-Mask 8" Wide



Grill-Mask 8" & 13" Wide

- 13" X 185' 3 Rolls per case
- 8" X 185' 6 Rolls per case
- The quickest and easiest way to temporarily cover registers and grills
- Masks do not come off if negative pressure is temporarily disrupted

PART NO: K1-GM-8 & K1-GM-13

Grill-Mask Dispenser



Grill-Mask Dispenser

- Convenient dispenser can be worn around your neck or waist
- Dispenser available for both 8" and 13" Grill Mask rolls.

PART NO: K1-GM8-DS-8 & K1-GM8-DS-13

Containment Solution in Minutes

- Easy-to-use spring-loaded, twist-locking poles
- Seals tightly at the ceiling, floor and walls
- No ladders, no tape, no damage

**AUTHORIZED
DISTRIBUTOR**



SPRING LOADED 12 FT ALUMINUM
POLES - 6/PK
PART NO: HC6PL



BASIC ZIPWALL® KIT
PART NO: HCDSL P4



ZIPWALL® FOAM RAIL KIT W/T-CLIPS 2/CS
PART NO: HCFR-2



HEAVY DUTY ZIPWALL® ZIPPERS
(12 PER CASE)
PART NO: HCHDAZ-12



GENERAL PURPOSE BLUE ZIPPERS 2/PK
PART NO: HCHDAZ-2



DUST DOOR KIT ZIPWALL® MAGNETIC
72" ZIPWALL® MAGNETIC DUST BARRIER
DOOR KIT
PART NO: HCMDK



Disposal Bags

DISPOSAL BAGS

Yellow Bags labelled for Asbestos Disposal

We have several options in thickness (Regular, Economy and Heavy Duty) and colour. Our 26" x 40" disposable bags are available in Clear and Yellow. The yellow are printed for Asbestos Disposal and are bilingual.



PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
DB-2640Y	Yellow Polyethylene Bags 26" x 40" -Regular Grade, Printed for Asbestos Disposal	100/Roll
DB-2640YE	Yellow Polyethylene Bags 26" x 40" -Economy Grade, Printed for Asbestos Disposal	100/Roll
DB-2640YH	Yellow Polyethylene Bags 26" x 40" -Heavy Duty Grade, Printed for Asbestos Disposal	100/Roll



GARBAGE BAGS

By the roll or by the case, garbage bags are available in 3 sizes and 2 colours

PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
DB-2640C	Clear Bags 26" x 40"	100/Roll
DB-2640CE	Clear Bags 3 mil 26" x 40"	100/Roll
DB-3350C	Clear Bags 3 mil 33" x 50"	100/Roll
DB-3550C	Clear Bags 35" x 50"	50/Case
DB-3550B	Black Garbage Bags 35" x 50"	50/Case
DB-3560C	Clear Bags 35" x 60"	50/Roll
DB-3560CE	Clear Bags 3mil 35" x 60"	50/Roll



Disposal Glove Bags

Avail® glovebags enjoy the industry reputation of being the highest performing, easiest to use and safest method to remove asbestos insulation from pipe.

AVAIL® glovebags deliver the highest performance due to design features that save labor while increasing safety.

MODEL	QT10	QT14	QT18	QT30
ITEM #	01610206	01614156	016182106	01630356
WORK AREA	42" TO 90'	48" TO 75'	54" TO 55'	60' TO 30'
PIPE DIAMETER	UP TO 10"	10" TO 14"	14" TO 18"	18" TO 30"
QUANTITY/CASE	20	15	10	5
GLOVE ASSEMBLIES	1 SET/BAG	1 SET/BAG	2 SETS/BAG	3 SETS/BAG
PIPE CONFIG.	HORIZONTAL	HORIZONTAL	HORIZONTAL	HORIZONTAL
MIL THICKNESS	6 MIL	6 MIL	6 MIL	6 MIL



SINGLE GLOVEBAG



EXTENDED-RUN GLOVEBAG




VERTICAL GLOVEBAG



QUICKTWIST GLOVEBAG

MODEL	ITEM #	QTY	BAG DIMS	PIPE DIA	GLOVE ASSY	BAG CONFIG
72120-2	0127212026	10	72" x 120" x 6m	18" TO 30"	2 SETS/BAG	HOR
V10	0131016	20	60" x 84" x 6m	UP TO 10"	1 SET/BAG	VERT
V24	0132426	15	84" x 96" x 6m	10" TO 24"	2 SETS/BAG	VERT
GSV12	0131256	5	96" x 180" x 6m	UP TO 12"	6 SETS/BAG	VERT
GSH620	0176208310	1	240" x 156" x 9m	UP TO 30"	8 SETS/BAG	HOR
GSH1220	017122014410	1	240" x 228" x 9m	UP TO 72"	12 SETS/BAG	HOR

GLOVE BAGS



PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
DB-4460-08	8" Horizontal Glove Bags	25/Roll
DB-5460-10	10" Horizontal Glove Bags	20/Roll
DB-5460-14	14" Horizontal Glove Bags	20/Roll



Accessories

SIGNS

Clearly notify of asbestos, lead, and PPE requirements in your construction zone with signs and caution tape.



PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
SS201	Mould Sign	1 EA
SS202	Asbestos sign	1 EA
SS203	Lead sign	1 EA
SS204	Caution hard hats	1 EA
SS-MDT29CTP	Danger Tags - Do Not Use	25/PK
DTCT3YE16	Tape - caution asbestos hazard	12 Rolls/Case
PH-055368610552	Danger Due To	1 EA



Mould Coatings and Disinfectants

Abatement Technologies® Branded Chemical Products

We have worked with many suppliers to create our own exclusive versions of standard Restoration and Asbestos Abatement products. We specify everything about our own private label products – what goes in it, how it's packaged and what the label looks like. Our many years of experience with contractors has allowed us to create our own lines of industry-leading chemicals, such as lockdown encapsulants, degreasers and soy mastic removers that rival leading name brands for performance and quality. By creating our own Abatement Technologies® branded products we can pass on substantial savings to our customers. Speak with one of our highly trained representatives who can assist you in making the best product selections customized to the needs of your project.



ABATEMENT TECHNOLOGIES® BRAND

PART NO.	PRODUCT DESCRIPTION
ATL100	Clear Lockdown Encapsulant Abatement Technologies® 5 GAL/PL
ATL150	Low Tack Lockdown Encapsulant Abatement Technologies® 5 GAL/PL
ATL200	No Odor Mastic Remover Abatement Technologies® 5 GAL/PL
ATL850	Smoke & Odor Sealer (Clear), Abatement Technologies® 5 GAL/PL



PART NO.	PRODUCT DESCRIPTION
AS-M15G	Blue Bear® Mastic Remover BEAN-E-DOO® 5 GAL/PL
FC-EMERGE	Emerge™ Concentrated Degreaser - 2.5 GAL DF2GWD



Mould Coatings and Disinfectants



PART NO. PRODUCT DESCRIPTION

AS300	Concrobium® Mold Control
AS305	Concrobium® Mold Stain Remover for Contractors
AS330	Concrobium® Pro Disinfectant and Cleaner

These innovative high-performance solutions are engineered for pros. We stock Concrobium® Mold Stain Remover, Mold Control, and Disinfectant and Cleaner products.

PART NO. PRODUCT DESCRIPTION

BF50476	Benefect® Decon 30 Botanical Disinfectant-4 L Jug
BF30475	Benefect® Multi-Purpose Cleaner - 3.78 L Jug
BF50376	Benefect® Botanical Disinfectant Wipes - 250 Wipes per PK
BF50475	Benefect® Botanical Disinfectant - 4 L Jug
BF40475	Benefect® Quantum Chemical Residue Remover - 4 L Jug
BF80475	Benefect® Atomic Fire and Soot Degreaser

World recognized, Benefect® products are botanical anti-microbial technology. Ready-to-use with no mixing required, this popular brand ensures the product's proper germ killing ability on every job.

PART NO. PRODUCT DESCRIPTION

AS520-4	Rochester Midland Enviro Care Non Fragrance Disinfectant 3.8L Jug
AS585-4	Rochester Midland PRS Water Damage PreClean 3.8L Jug
AS580-4	Rochester Midland PRS Water Damage PostClean 3.8L Jug
AS560-4	Rochester Midland PRS Fuel Oil Cleaner 3.8L Jug
AS570-4	Rochester Midland PRS Odor Control 3.8L Jug
AS555-4	Rochester Midland PRS Fire & Content Cleaner 3.8L Jug

Harness the power of live bacteria to travel to normally unreachable areas for cleaning, to break down soils into water and carbon dioxide, and to provide safer products for your workers and clients with the full line of Rochester Midland's Professional Restoration Series of cleaners.

PART NO. PRODUCT DESCRIPTION

AS-MMR	MMR Mold Stain Remover 3.8L Jug
--------	---------------------------------

Bad Axe has a complete arsenal of Restoration Products including MMR Mold Stain Remover, which has quickly become the industry's "go-to-product" for mold related projects. It is a fast and easy application that eradicates mold stains on contact.



Foggers and Sprayers

ProRestore Electro-Gen™



- The industry's most durable electric thermal fogger
- Converts 1 oz of Thermo55® into a 2,000 cubic foot deodorizing cloud in 30 seconds
- Can be used as an electrical sprayer
- Solvent-based products recommended

PART NO: FS-UM0604

Chapin SureSpray Deluxe Sprayer



- 2-Gallon funnel-top, translucent tank for easy filling and cleaning with pressure relief valve
- Features unique SureSpray™ Anti-Clog Filter for clog-free spraying
- Includes reinforced hose, curved brass wand, and adjustable poly nozzle
- Ergonomic handle, on-board spray shield and measuring cup for accurate chemical mixing

PART NO: SP26020

Chapin 48 oz Industrial Viton Spray



- 48 oz translucent poly bottle
- Compatible with most industrial chemicals
- Adjustable cone nozzle and shut-off

PART NO: SP1046

Chapin SureSpray 2 GAL Sprayer



- 2 GAL funnel-top, translucent tank for easy filling and cleaning
- Includes a 12" wand, 34" reinforced hose, adjustable nozzle and comfortable spray handle

PART NO: SP20020

Electric Foam Unit For Pre-Mix Products



- Powered by 120 VAC Electricity
- On-board 1.5 hp air compressor
- 25ft. (7.6 m) coiled twin-line tubing- Optional extension to 100 ft. (30.4 m)
- 65" fan tip for increased coverage
- Compact size for portability
- Santoprene, Viton, or Kalrez pump seals for chemical compatibility

PART NO: SP-F1-JR

Foam Unit 5 GAL Pump Up White Tank, 1/Case




- Compact unit with manual pump
- Maximum portability for small jobs and spot cleaning
- Comfortable grip handle with trigger for quick on/off control
- Ability to switch between short and long wand assembly

PART NO: FI-5L



Personal Protective Equipment

Abatement Technologies® offers a full range of Personal Protective Equipment from brands you trust.





NORTH® HALF MASKS AND FULL FACEPIECE MASKS

PART NO.	PRODUCT DESCRIPTION
NR-5400	North® Low Maintenance Full Facepiece
NR-7600	North® 7600 Series Silicone Full Facepiece
NR-7700	North® 7700 Series Silicone Half Mask, S,M,L
NR-65001	North® Full Facepiece with 5-Pt Head Strap, S,M,L
NR-PR501	Survivair® PR501 Powered Air Purifying Respirator



NORTH® CARTRIDGES AND FILTERS

PART NO.	PRODUCT DESCRIPTION
NF7581P100	North® Organic Vapor and P100 Cartridge/Filter Combination, 12/CS
NFN75001	North® Organic Vapor Cartridge
NFP100	All Particulate Filter - 72PR/CS
NFSCP100	North® Defender Multi P100 - 12/CS
SR108044	Survivair® PAPR Filter, 84 /CS
NF75SC	North® Defender Organic Vapour Filter Cartridge 18PRS /CASE



ACCESSORIES

PART NO.	PRODUCT DESCRIPTION
SR-770017	Inhalation Valve - (for North® 7700 Series Respirator), 6/PK
NR-80836A	North® Full Face Peel Off Window, 15/PK
SR-702028	Survivair® PAPR Lens Cover, 25/PK
SR702019	Tinted Lens Covers for Opti-Fit Full Face Masks, 25/PK

FIT Testing Information

A worker should be FIT tested to their respirator mask to make sure there are no seal leaks and to ensure a proper fit. Abatement Technologies offers this service along with other equipment inspection and certification services.



3M™ HALF FACEPIECE & FULL FACEPIECE REUSABLE RESPIRATOR 6000 AND 7500 SERIES



PART NO.	PRODUCT DESCRIPTION
3M-6100	Half Facepiece, Small, 1/Box
3M-6200	Half Facepiece, Medium, 1/Box
3M-6300	Half Facepiece, Large, 1/Box
3M-6800	Full Face Mask, Medium, 1/Box
3M-6800PF	Powerflow Face-Mounted Powered Air Purifying Respirator, Medium, 1/Box
3M-6900	Full Face Mask, Large, 1/Box
3M-6900PF	Powerflow Face-Mounted Powered Air Purifying Respirator, Large, 1/Box
3M-7501	Half Facepiece, Small, 1/Box
3M-7502	Half Facepiece, Medium, 1/Box
3M-7503	Half Facepiece, Large, 1/Box
3M-6502QL	Quick Latch Half Facepiece Reusable Respirator 6500, 1/Box

3M™ FILTERING PARTICULATE DISPOSABLE RESPIRATORS



PART NO.	PRODUCT DESCRIPTION
3M-8293	3M™ Particulate Respirator 8293, P100, 20/Box
3M-8210	3M™ Particulate Respirator, 8210+, N95, 20/Box
3M-8511	3M™ Particulate Respirator, 8511, N95, 10/Box

3M™ CARTRIDGES AND FILTERS



PART NO.	PRODUCT DESCRIPTION
3M-2091	P100 Particulate Pancake Filters - 50 PR/CS
3M-6001	Organic Vapour Cartridge, 30 PR/CS
3M-6002	Acid Gas Cartridge, 30 PR/CS
3M-6003	3M™ Organic Vapor / Acid Gas Filters
3M-60921	Organic Vapour Cartridge/Filter, 30 PR/CS
3M-60923	Organic Vapour/Acid Gas Cartridge/Filter, 30 PR/CS
3M-60926	3M™ Multi Contaminant/P100 Cartridge Combo
3M-7093B	Particulate Filter 3M P100 2/PK - 72 PK/CS
3M-7093CB	Hydrogen Chloride Cartridge/Filter, P100 Respiratory Protection, 2/PK
3M-SP3	Powerflow High-Efficiency SP3 Particulate Filter, 450-01-01R20, 20/Box



Supplied Air

COMP-3EA™ Auto-Air™ Breathing Air Compressor System (Air Systems International)



This compressor system is designed to provide automatic back-up air for up to 3 workers in the event of compressor failure. The COMP-3EA™ Compressor System includes an Auto-Air™ Breather Box®, model BB30-COAA, the TA-3EA compressor supplied with a CGA-347 high pressure reducing regulator, and primary / secondary hoses. An optional 60 or 87 cf cylinder can be installed on the compressor frame to provide additional egress air. The COMP-3EA™ system is designed for pressure demand respirators only.

PART NO: BB330-COAA & CGA-347 &TA-3EA

COMP-3EA™ COMPRESSOR & COMPONENTS

PART NO.	PRODUCT DESCRIPTION
COMP-3EA	TA-3EA compressor, 1/2" x 10' hose, 3/8" x 10' hose, high pressure regulator, and BB30-COAA Breather Box® with 3 respirator fittings (specify Hansen or Schrader)
TA-3EA	TA-3 Twin-Air™ Compressor with adjustable high pressure (5000 psi) regulator for attachment to a CGA-346 or CGA-347 cylinder and cylinder strap
BB30-FK	Replacement filter kit for BB30-COAA Breather Box

RESERVE AIR CYLINDERS

PART NO.	PRODUCT DESCRIPTION
AC-60	60 cf CGA-346, 2216 psi, aluminum, DOT/TC/ISO/UN
AC-87	87 cf CGA-347, 4500 psi, fully wrapped carbon fiber, DOT/TC approved

* Do not use with constant flow respirators or vortex cooling tubes.

ACCESSORIES

Panther™ Full Face Mask w/ P100 Particulate Filters



- Pressure demand, full-facepiece, mask, mounted regulator
- When the air supply is interrupted the SAR/P100 user can disconnect from the airline and exit the area
- During egress, the P100 filters provide respiratory protection from the particulate laden atmosphere

PART NO: SRP968437

Replacement Air Hoses



- Available in 1/2" and 3/8" ID
- Lengths: 25', 50' and 100'
- Specify coupler types

PART NO: SR930804 & SR930864

WE HAVE POISCHEK3 TESTERS AND WE SERVICE, REPAIR AND RE-CERTIFY REGULATORS.



Fall Protection

TRUSTED BRANDS: **Honeywell**
MILLER

DYNAMIC
SAFETY INTERNATIONAL

3M

Harnesses



Lanyards



Complete Kits




Self-Retracting Lifelines



Slings



Tripods



Abatement also offers a full array of Fall Protection Equipment Inspection Services

Keeping your equipment up-to-date and safe to use is not only important for compliance but to ensure preventable injuries don't happen. We know this is important and we are continually expanding the testing and inspection services we offer. Helping keep you and your crew safe, secure and In-Spec. Trust our professionals to make sure your equipment is up-to-date and working properly with these In-Spec services:

- Harness inspection/certification
- Lanyard inspection/certification
- Sling adapter inspection/certification
- SRL/SRD inspection/certification

These services can be performed on-site or at any of our locations across Canada.





Specialty and Hand Tools

DUSTLESS TECHNOLOGIES SHROUDS

Dustless Tools offers a series of shrouds for point-of-origin dust control of universal hand tools, such as drills, hand grinders, disc sanders, and reciprocating saws. With adapters to fit most leading brand hand tools, their dust shrouds have vacuum attachments to provide a clean, safe, dust-free work environment that contributes to improved worker health.



Dustless



PART NO.	PRODUCT DESCRIPTION
DT-D1900	BitBuddie® 1 3/8" Drilling Shroud, 1/CS
DT-D1905	BitBuddie® 4" Drilling Shroud, 1/CS
DT-D1908	BitBuddie® 8" Drilling Shroud, 1/CS
DT-D1835	DustBuddie® 5" Grinding Shroud, 1/CS
DT-D1730	Dustless 5" CutBuddie® Shroud w/18" Hose, 1/CS
DT-1750	Dustless 7" CutBuddie® Shroud w/18" Hose, 1/CS
DT-1835	Dustless 5" DustBuddie® Grinding Shroud w/18" Hose, 1/CS

HAND TOOLS



PART NO.	PRODUCT DESCRIPTION
DT-BT-120	Small Utility Knife, 100/Box
DT-BTH-80	Large Utility Knife, 50/Box
DT-HOOK	Hook Knife, 10/Box
DT-BBS-3	Bent Chisel Scraper, 3" 5/Box
DT-222-12	4 Row Wire Brush, 12/Box

BROOMS & MOPS



PART NO.	PRODUCT DESCRIPTION
DT-WHISK	Whisk Broom, 12/PK
FMS-24	Mop Head 24 oz, Narrow Band 1.5", 1/CS



Lighting and Electrical

LIGHTING

Bright, durable, and virtually indestructible; Wobble Light® is a self-righting, highly durable work light that takes a severe beating from workers, vehicles, debris, and drops with no bulb breakage.



PART NO.	PRODUCT DESCRIPTION
WL-36175	Wobblelight - 36" 175W Metal Halide Work Light
WL-36400	Wobblelight - 36" 400W Metal Halide Work Light
WL-2785	Wobblelight, Wobblelight - 27" 85W Fluorescent Work Light

Designed for use on job sites where temporary lighting is needed for illumination. These 12/3 Light Strings are heavy-duty, making them ideal for construction and job sites, fairs, and other special events. Suitable for use with A19 LED, CFL, or incandescent (150W max) light bulbs.



PART NO.	PRODUCT DESCRIPTION
EC-D11912100	Light Strings , 100'
EC-D11912050	Light Strings , 50'

EXTENSION CORDS

Locking cords simply prevent extension cords from being accidentally disconnected resulting in a loss of power.



PART NO.	PRODUCT DESCRIPTION
H2092-25TL	Turn & Lock power cord, #12/3 AWG Yellow, 25' LG

GMS POWER BOX

The GMS Power Box is an easy source of electricity for a contractor's equipment. Designed by an electrician, it is small, compact and lightweight. All 20 Amp outlets are GFCI equipped and the enclosure is insulated (NOT METAL) to protect against personal electric shock. All power boxes come standard with the correct 30 Amp overcurrent protection.



PART NO.	PRODUCT DESCRIPTION
G30-B01-C	Power Distribution Kit, Blue, 30A (4 Wire New Dryer, 4 Wire New Range, 25' cord & black carry bag

**AUTHORIZED
DISTRIBUTOR**



MANUFACTURERS OF PROFESSIONAL CONCRETE SURFACE PREPARATION EQUIPMENT

SPE **DFG280** CONCRETE GRINDER

- 110V, 15 AMPS
- 3 HP
- ADJUSTABLE HANDLE POSITIONS
- FOLDING HANDLE
- BUILT-IN LIFTING HANDLES
- 2" DUST PORT
- FLOATING HEAD
- EDGE GRINDING ON BOTH SIDES
- ROLLER BEARINGS FOR EDGING
- 10" WORKING WIDTH



NORTH AMERICA **CONTEC** **BULL** WALK-BEHIND FLOOR SCRAPER

- 110V, 16.4 AMPS
- 2 HP
- ADJUSTABLE HANDLE
- VIBRATION DAMPENED HANDLE
- SELF-PROPELLED
- RAM ACTION STRIPPING POWER
- ADJUSTABLE WEIGHTS
- REMOVABLE WEIGHTS FOR ENHANCED TRANSPORTABILITY
- 9 TO 18" WORKING WIDTH



Innovatech **HDI** DUST COLLECTOR

- 120V, 8 AMPS
- 1.6 HP
- ANTI-VIBRATION HANDLE
- CONICAL FILTER
- HEPA 13 FILTER
- ROBUST FILTER PURGE SYSTEM
- 70MM DIE-CASTING INLET WITH OPEN CLOSE HANDLE
- CONTINUOUS BAG DUST COLLECTION
- STURDY FRAME CONSTRUCTION
- HEAVY DUTY 4" FRONT CASTERS (LOCKABLE)



SPE **MS230** WALK-BEHIND FLOOR SCRAPER

- 110 V, 15 AMP
- 2 HP ENGINE
- 1400 ENGINE RPM
- ADJUSTABLE HANDLE
- LARGE DIAMETER WHEELS
- ADJUSTABLE BLADE ANGLE
- 9" WORKING WIDTH



CONTRACTOR PROVEN SINCE 1946

BARTELGLOBAL.COM

THE BEST RIDE-ON FLOOR SCRAPER MACHINE IN THE INDUSTRY. PERIOD.

The Innovatech Terminator Ride-On Floor Scraper is the original Ride-on Floor Scraper in the industry. The Choice of Professional Contractors since 1997.

EASY TO MAINTAIN

EFFECTIVELY WORKS IN SMALL SPACES

HIGH PERFORMANCE MOTORS 5.5HP/10HP/55HP

REMOVABLE WEIGHTS

WEIGHT PACKAGE OPTIONS AVAILABLE

NON-MARKING TIRES

VARIETY OF QUICK CHANGE TOOLING HOLDERS AVAILABLE

FULLY ENCLOSED HYDRAULIC LINES

OPERATOR PROTECTION PLATFORM

VARIABLE SPEED CONTROL

THE COMPLETE TERMINATOR LINE-UP



INFINITY

T3000 XME

T3000 EI

T2200 PRO

BARTELLGLOBAL.COM



Duct Cleaning Equipment for Professionals

DUCT CLEANING

Breaking down the barriers to entry. Source removal Duct Cleaning is an effective alternative to expensive duct cleaning trucks. Originated by Abatement Technologies in the 1980's source removal duct cleaning allows a contractor to easily enter or scale-up in duct cleaning. At a fraction of the cost, our source removal duct cleaning packages allow restoration contractors to easily expand their capabilities without the risk of large financial commitment

To make sure you can select the right package for your needs we have developed a 3 Step Process to customize everything from the vacuum to the compressor, agitation devices, and accessories. This gives you the ultimate flexibility while still taking advantage of package savings. It's as easy as 123.

1

PICK YOUR VACUUM



You pick a Portable Power Vacuum from our selection of models that range from a basic economy entry-level vacuum up to our most powerful high-performance unit. Source removal is versatile. You are able to clean residential and commercial properties because you can take the vacuum to the duct instead of running long lengths of hose from a vehicle. You get the same static suction in the basement, in the attic, or on the 50th floor.

2

PICK YOUR AIR COMPRESSOR



Your choice of compressor will be determined by the air power needed to drive the compressed air tools that loosen dirt and debris from inside the ductwork systems.



Duct Cleaning Equipment for Professionals

3 PICK YOUR ACCESSORIES



Abatement Technologies® stocks our own branded lines of power rotary brush and power whip agitation systems to remove and clean inside ducts. Additionally, we offer a complete line of duct cleaning essentials such as grill mask, hole cutters, caps, plugs, screws and chemicals for your professional duct cleaning enterprise.




PACKAGE ORDER LIST



EXAMPLE PACKAGE

Our knowledgeable sales team is available to help you pick the right products and to assemble a custom package for your business's needs. Contact our Duct Cleaning Specialists with all of your questions today.



Main Offices

Canada
 Abatement Technologies Limited
 7 High Street
 Fort Erie, ON L2A 3P6
 CAN. 800-827-6443
 Intl. +01-905-871-4720
iaqinfo@abatement.ca

US
 Abatement Technologies, Inc.
 605 Satellite Blvd. Suite 300
 Suwanee, GA 30024
 U.S. 800-634-9091
 Intl. +01-678-889-4200
iaqinfo@abatement.com

Branch Offices

Vancouver
 F102-19720-94A Avenue,
 Langley, BC V1M 3B7
 778-372-2611

Edmonton
 16403 - 117 Ave.
 NW Edmonton, AB T5M 3V3
 780-665-5165

Toronto
 144 Sharer Rd.
 Vaughan, ON L4L 8P4
 905-266-1322

Montreal
 1950 Bernard Lefebvre
 Laval, QC H7C 0A5
 514-375-0606

Calgary
 F-7004 5th St. SE
 Calgary, AB T2H 2G3
 403-351-2223

Hamilton
 428 Millen Rd. Unit 10
 Stoney Creek, ON L8E 3N9
 905-664-6075

Ottawa
 51 Capital Drive
 Ottawa, ON K2G 0E7
 613-749-9667

Dartmouth
 121 Ilsley Ave Unit 12
 Dartmouth, NS B3B 1J1
 902-334-0900

1.800.827.6443

ABATEMENT.CA

IAQINFO@ABATEMENT.CA

Compliance With Standards and Guidelines
 For the past 20 years, Abatement Technologies has provided health care facilities with the technology they need to comply with current infection-control standards and practices in an effective and economical manner. These include guidelines developed by The Centers for Disease Control and Prevention (CDC), Health Canada, the Canadian Standards Association (CSA), the American Institute of Architects (AIA), Department of Homeland Security HRSA Critical Benchmark 2.2, and Joint Commission requirements.