

## HARDWARE OFFERING







### Industry Leading Printers For Any Size Business

Whatever Your Budget or Business Volume, HP and Grimco Have a Safe and Solvent-Free Solution

### HP LATEX PRINTERS











|   | HP Latex 115       | HP Latex 315              | HP Latex 335              | HP Latex 365          | HP Latex 700W                                | HP Latex 800W                                |
|---|--------------------|---------------------------|---------------------------|-----------------------|--|--|
| Size  | 54″ wide           | 54″ wide                  | 64″ wide                  | 64″ wide              | 64" wide                                     | 64" wide                                     |
| Warm Up   | Less than 1.5 min  | Less than 1.5 min         | Less than 1.5 min         | Less than 1.5 min     | Less than 1.5 min                            | Less than 1.5 min                            |
| Backlits & Textiles - 16 pass                                   | 54 sq ft/hr        | 65 sq ft/hr               | 65 sq ft/hr               | 65 sq ft/hr           | 183 sq ft/hr (8 pass)                        | 215 sq ft/hr (8 pass)                        |
| Indoor Quality  | 129 sq ft/hr       | 129 sq ft/hr (8 pass)     | 137 sq ft/hr (8 pass)     | 183 sq ft/hr (8 pass) | 226 sq ft/hr (6 pass)                        | 269 sq ft/hr (6 pass)                        |
| Outdoor Plus  | 174 sq ft/hr       | 174 sq ft/hr (6 pass)     | 183 sq ft/hr (6 pass)     | 248 sq ft/hr (6 pass) | 334 sq ft/hr (4 pass)                        | 388 sq ft/hr (4 pass)                        |
| Max Roll Weight   | 55 lbs             | 55 lbs                    | 92.6 lbs                  | 92.6 lbs              | 121 lbs                                      | 121 lbs                                      |
| Ink configuration   | CMYKLcLm+optimizer | CMYKLcLm+optimizer        | CMYKLcLm+optimizer        | CMYKLcLm+optimizer    | CMYKLcLmOptOcW                               | CMYKLcLmOptOcW                               |
| Ink Size  | 400 mL             | 775 mL                    | 775 mL                    | 775 mL                | 1L   | 3L Bulk                                      |
| Cost per cartridge, per mL                                      | \$95/.23           | \$135/.17                 | \$135/.17                 | \$135/.17             | \$143/.14                                    | \$300/.10                                    |
| Take up reel  | Optional           | Optional                  | Included                  | Included              | Included                                     | Included                                     |
| RIP   | Sai Flexiprint     | Sai Flexiprint-HP Edition | Sai Flexiprint-HP Edition | Not included          | 1 yr Onyx subscription                       | 1 yr Onyx subscription                       |
| Control Panel   | 4" touchscreen     | 4" touchscreen            | 4" touchscreen            | 8" touchscreen        | 8" touchscreen                               | 8" touchscreen                               |
| Ink included with printer                                       | No                 | Yes                       | Yes                       | Yes                   | No   | No   |
| HP Latex Mobile App   | Yes                | Yes                       | Yes                       | Yes                   | HP PrintOS                                   | HP PrintOS                                   |
| Superior color management with<br>built-in i1 Spectrophotometer | No                 | No                        | No                        | Yes                   | Yes  | Yes  |
| HP Optical Media Advance Sensor                                 | Yes                | Yes                       | Yes                       | Yes                   | Yes  | Yes  |
| Ink collector for textile printing                              | No                 | No                        | No                        | Yes                   | Optional Accessory                           | Optional Accessory                           |
| Automated X cutter on board                                     | Yes                | Yes                       | Yes                       | Yes                   | Yes  | Yes  |
|   |                    |                           |                           |                       | *Equipment versions<br>offered without White | *Equipment versions<br>offered without White |

## HP LATEX PRINT AND CUT SOLUTIONS







|                               | L115 Print and Cut                                      | L315 Print and Cut                                      | L335 Print and Cut                                     |
|-------------------------------|---|---|--|
| Printer                       |   |   |  |
| Size                          | 54″ wide  | 54″ wide  | 64" wide   |
| Backlits & Textiles (16 pass) | 65 sq ft/hr   | 65 sq ft/hr   | 65 sq ft/hr  |
| Indoor Quality (8 pass)       | 129 sq ft/hr  | 129 sq ft/hr  | 137 sq ft/hr   |
| Outdoor Plus (6 pass)         | 174 sq ft/hr  | 174 sq ft/hr  | 183 sq ft/hr   |
| Max Roll Weight               | 55 lbs  | 55 lbs  | 92.6 lbs   |
| Ink Configuration             | CMYKLcLm +optimizer                                     | CMYKLcLm +optimizer                                     | CMYKLcLm +optimizer                                    |
| Ink Size                      | 400mL   | 775mL   | 775mL  |
| Cost per cartridge, per mL    | \$95/.23  | \$135/.17   | \$135/.17  |
| Take Up Reel                  | Optional  | Optional  | Included   |
| RIP                           | HP FlexiPRINT and CUT RIP                               | HP FlexiPRINT and CUT RIP                               | HP FlexiPRINT and CUT RIP                              |
| Cutter                        |   |   |  |
| Size                          | 53.1″   | 53.1″   | 62.2″  |
| Cut Type                      | Drag-knife with TurboCut and Tangential emulation modes | Drag-knife with TurboCut and Tangential emulation modes | Drag-knife with TurboCut and Tangential emulation mode |
| Cut Speed                     | Up to 44 in/sec diagonal                                | Up to 44 in/sec diagonal                                | Up to 44 in/sec diagonal                               |
| Acceleration                  | Up to 3 G diagonal                                      | Up to 3 G diagonal                                      | Up to 3 G diagonal                                     |
| Cut Thickness                 | .002 to .01 in  | .002 to .01 in  | .002 to .01 in   |
| Connectivity                  | USB and Ethernet (LAN)                                  | USB and Ethernet (LAN)                                  | USB and Ethernet (LAN)                                 |
| Software                      | HP Cutter Control                                       | HP Cutter Control                                       | HP Cutter Control                                      |



HP Latex Rigid Technology New technology enables latex printing on multiple surfaces, including breakthrough HP White Latex Ink

### HP LATEX R SERIES PRINTERS





|                                       | HP Latex R1000 Plus Printer | HP Latex R2000 Plus Printer |
|---------------------------------------|-----------------------------|-----------------------------|
| Dimensions                            |                             |                             |
| Printer (W x D x H)                   | 166″ x 80″ x 69″            | 201" x 80" x 69"            |
| Printing including standard input and |                             |                             |
| output tables (W x D x H)             | 166″ x 143″ x 69″           | 201″ x 143″ x 69″           |
| Rigid printing                        |                             |                             |
| Maximum width                         | 64" x 120"                  | 98″ x 120″                  |
| Flexible printing                     |                             |                             |
| Maximum width                         | 64″                         | 98″                         |
| Maximum weight                        | 150 lb                      | 220 lb                      |
| Productivity                          |                             |                             |
| Outdoor (3p 70%)                      | 590 ft²/hr                  | 948 ft²/hr                  |
| Indoor (6p 110%)                      | 311 ft²/hr                  | 496 ft²/hr                  |
| Ink cartridges                        |                             |                             |
| Size color                            | 3 L                         | 5L                          |
| Size white                            | 3 L                         | 3L                          |
|                                       |                             |                             |
|                                       |                             |                             |

## HP STITCH DYE SUBLIMATION SOLUTIONS







\$300

#### **Printer**

Backlits (6 pass) Production Fast (3 pass) Production Quality (4 pass) **Max Roll Weight** Ink configuration Ink Size Cost per mL Take up reel RIP Superior color management with built-in i1 Spectrophotometer **HP Optical Media Advance Sensor** Ink collector (direct polyester fabrics)

Automated X cutter on board

Media Types

Size 64" wide 235 sq ft/hr 460 sq ft/hr 365 sq ft/hr 92.6 b СМҮК 775 mL \$0.12 Included Included - HP Ergosoft RIP Color Edition Included

Included - external device need to make icc profiles

Included

Included

Sublimation transfer papers and sublimation polyester fabrics

64″ wide 235 sq ft/hr 460 sq ft/hr 365 sq ft/hr 121 b CMYK 3000 mL \$0.10 Included Included - HP Ergosoft RIP Color Edition

Included - external device need to make icc profiles

Included

**S500** 

Included

Included

Sublimation transfer papers and sublimation polyester fabrics

126″ wide 1080 sq ft/hr 1720 sq ft/hr 1400 sq ft/hr 660 lb (126-in roll); 220 lb (63-in roll) СМҮК 10000 mL \$0.07 Included No RIP Included

Included - external device need to make icc profiles

Included

**S1000** 

Included

No on board X cutter

Sublimation transfer papers and sublimation polyester fabrics



# EPSON SURECOLOR PRINTERS

### S-Series Eco-Solvent Printers



### P-Series Standard Edition Printers





|                           | S40600              | S60600              | S80600                       |                                    | P10000                             | P20000                              |
|---------------------------|---------------------|---------------------|------------------------------|------------------------------------|------------------------------------|-------------------------------------|
| Maximum Substrate Width   | 64″ wide            | 64″ wide            | 64″ wide                     | Size                               | 44"Wide                            | 64" wide                            |
| Minimum Substrate Width   | 12" wide            | 12″ wide            | 12″ wide                     | Maximum Paper Width                | 44″                                | 64″                                 |
| Number of Printheads      | 1                   | 2                   | 2                            | Minimum Paper Width                | 10″                                | 10″                                 |
| Speed                     | Banner              | Banner              | Banner                       | Minimum Cut Sheet Size             | 8.5″ x 11″                         | 8.5″ x 11″                          |
| Draft                     | 610 sq ft/hr        | 1010 sq ft/hr       | 1010 sq ft/hr                | Minimum Recommended Cut Sheet      | 13″ x 19″                          | 13″ x 19″                           |
| Production                | 215 sq ft/hr        | 550 sq ft/hr        | 340 sq ft/hr                 | Maximum Printable Cut Sheet Length | 80″                                | 80″                                 |
| Quality                   | 170 sq ft/hr        | 310 sq ft/hr        | 195 sq ft/hr                 | Maximum Printable Roll Length      | 590.55″                            | 590.55″                             |
| <b>Maximum Resolution</b> | 1440 x 1440 dpi     | 1440 x 1440 dpi     | 1440 x 1440 dpi              | Media Thickness                    | 1.5mm                              | 1.5mm                               |
| Max Media Thickness       | 1 mm                | 1 mm                | 1 mm                         | Maximum Resolution                 | 2400 x 1200 dpi                    | 2400 x 1200 dpi                     |
| Max Roll Weight           | 95 lbs              | 95 lbs              | 95 lbs                       | Print Speed                        | 16" x 20" prints from 1:47 to 3:17 | 16" x 20" prints from 1:47 to 3:17  |
| Ink Configuration         | СМҮК                | Dual CMYK           | C, M, Y, K, LC, LM, LK, O, R |                                    | 20" x 30" prints from 2:55 to 5:33 | 20" x 30" prints from 2:55 to 5:33  |
|                           |                     |                     | (White or Silver Available)  |                                    |                                    | 40" x 60" prints from 8:33 to 15:30 |
| Ink Cartridge Size        | 700 mL              | 700 mL              | 700 mL                       | Ink Configuration                  | C, LC, VM, VLM, Y,                 | C, LC, VM, VLM, Y,                  |
| Cost Per Cartridge/mL     | \$0.17/mL           | \$0.17/mL           | \$0.17/mL                    |                                    | LGY, GY, DGY, PK, MK               | LGY, GY, DGY, PK, MK                |
| Take Up Reel              | Included            | Included            | Included                     | Ink Cartridge Size                 | 700 mL                             | 700 mL                              |
| <b>RIP Included</b>       | ONYX Gama Print PRO | ONYX Gama Print PRO | ONYX Gama Print PRO          | Take Up Reel                       | Optional                           | Optional                            |
| Fan Dryer                 | Not Needed          | Included            | Optional                     |                                    |                                    |                                     |
|                           |                     |                     |                              |                                    |                                    |                                     |



# EPSON SURECOLOR PRINTERS

### Roll-to-Roll Resin Signage and UV Flatbed Printers





|                         | A Constructor Constructor B | - Tak Work Park Wi     |                          |                                |  |
|-------------------------|-----------------------------|------------------------|--------------------------|--------------------------------|--|
|                         | R5070                       | R5070L                 |                          | V7000 UV Flatbed               |  |
| Maximum Substrate Width | 64″ wide                    | 64″ wide               | Max Printing Area        | 98″ x 49″                      |  |
| Minimum Substrate Width | 12″ wide                    | 12" wide               | Max Substrate Thickness  | 3.14″                          |  |
| Printheads              | Advanced PrecisionCore      | Advanced PrecisionCore | Max Resolution           | 720x1440dpi                    |  |
|                         | TFP <sup>®</sup> 12         | TFP® 12                | Rated Voltage            | AC 200 V, 208 V, 220 V, 230 V, |  |
| Max Resolution          | 1200x2400                   | 1200x2400              |                          | 240 V, 50/60 Hz                |  |
| Max Media Thickness     | 1mm                         | 1mm                    | Rated Current            | 29 A                           |  |
| Max Roll Weight         | 100 lbs                     | 100 lbs                | <b>Power Consumption</b> | Approx. 4.2 kW                 |  |
| Ink Configuration       | CMYK, LM, LC, OP, ML        | CMYK, LM, LC, OP, ML   | Ink Configuration        | CMYK, LM, LC, GR, R + WH       |  |
| Starter Set             | No                          | No                     |                          | and Va                         |  |
| Ink Size                | 1.5L                        | 1.5L x 2               | Ink Size                 | 10-color 1000mL ink bottles    |  |
| Cost per Cartridge/mL   | .155/mL                     | .125/mL                | RIP Included             | Epson Edge                     |  |
| Take Up Reel            | Included                    | Included               |                          |                                |  |
| RIP Included            | Epson Edge                  | Epson Edge             |                          |                                |  |
|                         |                             |                        |                          |                                |  |



# EPSON SURECOLOR PRINT AND CUT SOLUTIONS





|                          | S40600 Print Cut Bundle             | S60600 Print Cut Bundle             |
|--------------------------|-------------------------------------|-------------------------------------|
| Printer                  |                                     |                                     |
| Size                     | 64"                                 | 64"                                 |
| Media Roll Weight        | 95 LB                               | 95 LB                               |
| Ink Configuration        | С, М, Ү, К                          | Dual C, M, Y, K                     |
| Ink Cartridge Size       | 700 mL                              | 700 mL                              |
| Speed-Maximum            | 610 sqft/hr                         | 1020 sqft/hr                        |
| Speed-Quality            | 140 sqft/hr                         | 190 sqft/hr                         |
| Software                 | Onyx Gamma Print PRO (RIP included) | Onyx Gamma Print PRO (RIP included) |
| Starter Ink Set Included | No                                  | No                                  |
| Take Up Reel             | Included                            | Included                            |
| Dryer Included           | No                                  | Yes                                 |
| Cost Per Cartridge/mL    | \$0.24/mL                           | \$0.24/mL                           |
| Cutter                   |                                     |                                     |
| Model                    | Graphtec FC9000-130                 | Graphtec FC9000-130                 |
| Size                     | 54″                                 | 54"                                 |
| Cut Type                 | Contour, Perf Cut Enabled 58.5 in/s | Contour, Perf Cut Enabled 58.5 in/s |
| Cut Speed-Maximum        | 54″                                 | 54"                                 |
| Cut Width-Maximum        | 20 - 600 gf                         | 20 - 600 gf                         |
| Cutting Force            | 20 000 gi                           | 5.                                  |
|                          |                                     |                                     |



## EPSON DYE SUBLIMATION

### F-Series Dye Sublimation Printers











|                         | F570                          | F6370SE          | F6370PE          | F7200           | F9470            | F9470H           |  |
|-------------------------|-------------------------------|------------------|------------------|-----------------|------------------|------------------|--|
| Maximum Substrate Width | 24″ wide                      | 44″ wide         | 44″ wide         | 64″ wide        | 64″ wide         | 64″ wide         |  |
| Minimum Substrate Width | 8.27" wide roll, letter sheet | 12″ wide         | 12″ wide         | 12″ wide        | 11.8″ wide       | 11.8″ wide       |  |
| Number of Printheads    | 1                             | 1                | 1                | 1               | 2                | 2                |  |
| Print Speeds            |                               |                  |                  |                 |                  |                  |  |
| Draft                   | N/A                           | 634 sq ft/hr     | 634 sq ft/hr     | 634 sq ft/hr    | 1,169 sq ft/hr   | 1,169 sq ft/hr   |  |
| Production              | N/A                           | 325 sq ft/hr     | 325 sq ft/hr     | 325 sq ft/hr    | 1,004 sq ft/hr   | 1,004 sq ft/hr   |  |
| Quality                 | N/A                           | 119 sq ft/hr     | 119 sq ft/hr     | 119 sq ft/hr    | 568 sq ft/hr     | 568 sq ft/hr     |  |
| Maximum Resolution      | 2400 x 1200 dpi               | 1440 x 720 dpi   | 1440 x 720 dpi   | 1440 x 720 dpi  | 1440 x 720 dpi   | 1440 x 720 dpi   |  |
| Max Media Thickness     | 8.6 mil                       | .5 mm            | .5 mm            | 1 mm            | 1 mm             | 1 mm             |  |
| Max Roll Weight         |                               |                  |                  | 90 bs           | 100 lbs          | 100 <b>b</b> s   |  |
| Ink Configuration       | СМҮК                          | CMYHDK           | CMYHDK           | CMYHDK          | CMYHDK           | CMYHDKFyFp       |  |
| Ink Cartridge Size      | 4.73 floz                     | 1 Liter          | 1 Liter          | 1 Liter         | 1 liter          | 1 liter          |  |
| Cost Per Cartridge/mL   | \$0.12/mL                     | \$0.11/mL        | \$0.11/mL        | \$0.11/mL       | \$0.11/mL        | \$0.11/mL        |  |
| Take Up Reel            | No Take Up Reel               | No Take Up Ree   | Included         | Included        | Included         | Included         |  |
| RIP Included            | No RIP                        | Epson Edge Print | Epson Edge Print | Wasatch SoftRip | Epson Edge Print | Epson Edge Print |  |
|                         |                               |                  |                  |                 |                  |                  |  |



## DIRECT TO GARMENT PRINTERS & ACCESSORIES

### F-Series Direct to Garment Printer





#### F2100 with white

1440 x 1440 dpi w/white

1440 x 720 dpi w/color

UltraChrome DG Ink

C, M, Y, K, WH

600 mL

**Max Resolution** 

Ink Type Ink Configuration Ink Cartridge Size RIP Included Printer Interfaces

RIP Included Epson Print Utilities and Epson rinter Interfaces Garment Creator Hi-Speed USB

Optional Accessories

Garment Creator Hi-Speed USB Large garment platen 16 x 20 Extra small garment platen 7 x 8 Small garment platen 10 x 12 Medium grooved garment platen 14 x 16 Sleeve platen 4 x 4 DTG printer floor stand



### F3070 Industrial

#### 1200x1200 dpi

Epson UltraChrome DG C, M, Y, K, WH 1500 mL Epson Garment Creator Software Hi-Speed USB 3.0 (1 port) 1000Base-T Ethernet (1 port)

LAWSON Pretreatment Machines

### **Pre-Treat Zoom-AE**

All-Electric, Space-Saving Design Floor Leg Design with Casters for easy portability (legs may be removed if desired) Large Spray Area: up to 17" x 20" Zero Out-Spray Design Manual Easy-Slide Drawer (Auto-Drawer Available) Garment Tuck Tray Digital Spray Speed Display Adjustable Spray Area Length Quick-Change Twist On/Off Spray Nozzle Two (2) Gallon Size Solution Containers Ultra Quiet Operation Rugged All Metal Construction One-Year Limited Parts Warranty



#### Silver-Jet V2 Sprayer

All-Electric, Space-Saving Design Bench Model Design for Easy Portability Large Spray Area: up to 16"x 18" Zero Out-Spray Design Manual Easy-Slide Drawer Garment Tuck Tray Adjustable Spray Area Length Quick-Change Twist On/Off Spray Nozzle Side-Mounted Solution Container is easily Visible Ultra-Quiet Operation Rugged All Metal Construction One-Year Limited Parts Warranty

#### **Optional Features**

Floor Legs

# DYE SUBLIMATION & DIRECT TO GARMENT ACCESSORIES



Digital Knight DK20S Digital Swinger w/stand Other models and sizes available





Royal Sovereign LX-130 - Piece to Roll Calender RS Sovereign



Maxi-4464AP 44x64 Air Automatic

Other models and sizes available

Maxi Press

**Royal Sovereign** PX-181F – Roll-to-Roll Transfer Solution



Klieverik GTC101-1850SPFL Single Piece Flowline Calender KLIEVERIK



Klieverik GTC101-1850 Transfer and Fixation Belt Calender

#### KLIEVERIK



Lawson Digi-Dry Box - A DTG Ink Curing Dryer






Chickly Loca m

Royal





## PLOTTERS & LAMINATORS





## EPSON SUPERCOLOR PRINTERS

### P Series Printers



| Size                               | 44" Wide                           | 44"Wide                            | 64″ wide                            | 64″ wide                            | 24″ wide                             | 44″ wide                          |
|------------------------------------|------------------------------------|------------------------------------|-------------------------------------|-------------------------------------|--------------------------------------|-----------------------------------|
| Maximum Paper Width                | 44″                                | 44″                                | 64″                                 | 64″                                 | 24″                                  | 44″                               |
| Minimum Paper Width                | 10″                                | 10″                                | 10″                                 | 10″                                 | 10″                                  | 10″                               |
| Minimum Cut Sheet Size             | 8.5″ x 11″                         | 8.5″ x 11″                         | 8.5″ x 11″                          | 8.5″ x 11″                          | 8.5″ x 11″                           | 8.5″ x 11″                        |
| Minimum Recommended Cut Sheet      | 13″ x 19″                          | 13″ x 19″                          | 13″ x 19″                           | 13″ x 19″                           | 13″ x 19″                            | 13″ x 19″                         |
| Maximum Printable Cut Sheet Length | 80″                                | 80″                                | 80″                                 | 80″                                 | 80″                                  | 80″                               |
| Maximum Printable Roll Length      | 590.55″                            | 590.55″                            | 590.55″                             | 590.55″                             | 708.66″                              | 708.66″                           |
| Media Thickness                    | 1.5mm                              | 1.5mm                              | 1.5mm                               | 1.5mm                               | 1.5mm                                | 1.5mm                             |
| Maximum Resolution                 | 2400 x 1200 dpi                    | 2400 x 1200 dpi                    | 2400 x 1200 dpi                     | 2400 x 1200 dpi                     | 2400 x 1200 dpi                      | 2400 x 1200 dpi                   |
| Print Speed                        | 16" x 20" prints from 1:47 to 3:17 | 16" x 20" prints from 1:47 to 3:17 | 16" x 20" prints from 1:47 to 3:17  | 16" x 20" prints from 1:47 to 3:17  | 23.4" x 33" prints from 2:02 to 4:04 | 23.4" x 33" prints from 2:02 to 4 |
|                                    | 20" x 30" prints from 2:55 to 5:33 | 20" x 30" prints from 2:55 to 5:33 | 20" x 30" prints from 2:55 to 5:33  | 20" x 30" prints from 2:55 to 5:33  |                                      | 20" x 30" prints from 2:55 to 5:3 |
|                                    |                                    |                                    | 40" x 60" prints from 8:33 to 15:30 | 40" x 60" prints from 8:33 to 15:30 |                                      |                                   |
| Ink Configuration                  | C, LC, VM, VLM, Y,                 | C, LC, VM, VLM, Y,                 | C, LC, VM, VLM, Y,                  | C, LC, VM, VLM, Y,                  | C, LC, VM, VLM, Y, PK, MK,           | C, LC, VM, VLM, Y, PK, MK,        |
|                                    | LGY, GY, DGY, PK, MK               | LGY, GY, DGY, PK, MK               | LGY, GY, DGY, PK, MK                | LGY, GY, DGY, PK, MK                | GY, LGY, O, G, V                     | GY, LGY, O, G, V                  |
| Ink Cartridge Size                 | 700 mL                             | 700 mL                             | 700 mL                              | 700 mL                              | 150, 350 or 700 mL                   | 150, 350 or 700 mL                |
| Take Up Reel                       | Optional                           | Included                           | Optional                            | Included                            | N/A                                  | Optional                          |
|                                    |                                    |                                    |                                     |                                     |                                      |                                   |
|                                    |                                    |                                    |                                     |                                     |                                      |                                   |
|                                    |                                    | · ·                                | i                                   | 1                                   | 1                                    | 1                                 |

Additional modules not pictured - visit grimco.com to see more!



## CANON PRINTERS AND SCANNERS

### imagePROGRAF Series





#### TM-200 24" Printer

Max Resolution2400x1200 dpiInk TypePigmentInk ConfigurationC, M, Y, BK, MBKInk Cartridge Size130, 300 mLMedia Role Size8-24"

inter

### TM-305 36" Printer

2400x1200 dpi Pigment C, M, Y, BK, MBK 130, 300 mL 36″



#### TM-36 Scanner

Scan Speed13"/s mono, 6"/s colorScan ThicknessUp to 2.0mmImage SizeUp to 36" wideDocument SizeUp to 38" wideFace ConfigurationFace up/Front load/Rear exit



## HP DESIGNJET PRINTERS

### **Z-Series Printers**









#### Z6 PostScript<sup>®</sup> Printer series

24-inch and 44-inch printers

One or two rolls with auto-switch<sup>1</sup>

6 HP Vivid Photo Inks

Integrated vertical trimmer

High-definition HP printheads with dual drop technology

Adobe PostScript and PDF Print Engine with HP Professional Pantone<sup>®</sup> Emulation

#### **Z6610 Production Printer**

Fastest 60-inch graphics production printer

6 HP Vivid Photo inks.

Print speeds up to 212 ft<sup>2</sup>/hr on glossy and 548 ft<sup>2</sup>/hr on plain paper<sup>2</sup>

500 GB hard disk capacity

True PDF management with HP SmartStream software and HP Click printing software

Built-in take-up reel for unattended prints

Optimized printheads for high impact and clear readability from line drawings to posters

#### **Z9 PostScript® Printer series**

24-inch and 44-inch professional photo printer

One or two roll with auto-switch

Embedded spectrophotometer for color accuracy and consistency<sup>2</sup>

9 HP Vivid Photo Inks, upgradable with gloss enhancer

Integrated vertical trimmer

High-definition HP printheads with dual drop technology

Adobe PostScript and PDF Print Engine with HP Professional Pantone® Emulation

#### **Z6810 Production Printer**

Fastest 42-inch and 60-inch high-quality graphics production printers

8 HP Vivid Photo Inks

Print speeds up to 212 ft<sup>2</sup>/hr on glossy and 548 ft<sup>2</sup>/hr on plain paper<sup>2</sup>

HP Professional PANTONE® color emulation

500 GB hard disk capacity

Embedded spectrophotometer & color center for accuracy and consistency

Built-in take-up reel for unattended prints

HP Applications Center

## FLATBED APPLICATOR TABLES

## THERMAL PRINTER



THE ART OF LAMINATIN



Gerber FX Thermal Printer

# ROUTERS & FLATBED CUTTERS



KONGSBERG Precision Cutting Systems Kongsberg X-24



KONGSBERG Precision Cutting Systems

Kongsberg C-64



Graphtec FXC2000 Flatbed Cutter

### SOFTWARE







Summa F1612




Summa F1330





Summa F1832

# TRIMMERS, CUTTERS, & PANEL SAWS



Fletcher Substrate Cutter (FSC)





Flexible/Semi Ridge Cutter Gemini Series, Titan Series






Free Standing Electric Trimmer



### How can Grimco.com help you?

#### **Buy now!**

Save time and purchase your equipment through Grimco.com.



#### Check Estimated Delivery

Estimated Arrival: 4-5 business days (Qty - 1)

### With a grimco.com account, see estimated delivery times!



### Quick access to product experts who will contact you same day!

Just fill out your contact information or utilize our Q & A section directly on Grimco.com



Have the ability to see customer ratings & reviews from others in the industry!

#### Receive extended and in-depth product information.

You'll be shown tutorial videos, technical specifications, compatible product or accessories, and ideal use recommendations

#### Overview

#### Email: hplatex@grimco.com for monthly webinar info.

Produce high quality for induces and out at production speeds ideal for handling urgent jobs. Do tentiles. Eliminate dry time—and provide same day delivery. Keep your running costs low and locost your capacity.

- + Ideal for: Frint service providers who need higher capacity and want to deliver high-quality, durable outdoor and indoor applications with tast turnarounds.
- + Media Sizes: 10 to 64-in rols (22 to 64-in rols with full support)
- Media Handling: Roll freed; take-up reel; submatic cutter (for viny), paper based media, backit polyecter film). Print on a wide variety of textiles—including portus textiles with the INI collector.
- Ethemet & Mobile Printing: Past Dipubil Ethemet. Stay connected with your printer in real time while poure away with the free HP Latex Mobile app.
- Print Speeds. 950 http://www.speed.com/spectral-backstance-index.speeds/aparatic-index.speeds/aparatic-index.com/speeds/aparatic-index.
- + Intuitive Control Panet Simplified color management, directly from the front panel, 8-inch touchscreen
- Why to Buy: Exceed client expectations with production speeds ideal for handling signer jobs. The HP Latex 365 Printer produces indear and outdoor prints on a variety of
  find tional signage substrates—even textiles. And high-quality, durable prints provide sentch resistance comparable to hard solvent Iriks.
- + Eco Friendly: HP Latex I it's are UL ECOLOGO® and UL OREENSUARD GOLD Certified
- HP Lates Ink Centridges: HP 831A Black (C2883A), HP 831A Cyan (C2883A), HP 831A Negeria (C2884A), HP 831A Velov (C2885A), HP 831A Light Gyan (C2885A), HP 831A Light Mageria (C2887A), HP 831 Lates Cptimizer (C2786A), HP 831 Lates Maintenance (C2881A), HP 831 Series Printheads.
- + Product Support: 1 year limited hardware warranty. Free HP Latex online training resources.
- What's in the box HP Latex 365 Printy primbeds; maintenance outridge; ink collector; output plates protector; primer stand; spindle; take-up reet variable front tension
   Xit) tading accessory; user maintenance kit edge holden;; quick reference guide; sets protect documentation software; power cards; HP Heat basic RP and 12 free months
   of 364. Plea subcription version

#### Specifications

| nk Cartridge Size      | 775 mL   | Ink Configuration       | C. M. Y. K. LC. LM. Optimizer                                    |  |
|------------------------|--|-------------------------|--|--|
| ink Sertes             | HP 831A  | Ink Type                | Lates  |  |
| Nedia Handling         | Automatic Media Cutter<br>Roll Feed<br>Taka-Up Reel (optional) | Media Roll Size         | 10 - 54 *  |  |
| Media Roll Weight      | 55 lb  | Optional<br>Accessories | 2° Spindle<br>3° Spindle<br>Take Up Reel<br>User Maintenance Kit |  |
| Resolution-<br>Maximum | 1200 x 1200 dpi  | Size                    | 54.  |  |
| Software               | ResPrint HP Edition<br>Included                                | Speed-Maximum           | \$17 sqft/hr   |  |
| Speed-Quality          | 129 sqft/hr  |                         |  |  |

#### Product Datasheets



## Why Choose Grimco<sup>®</sup> for your printer & equipment purchase?

At Grimco<sup>®</sup>, our goal is to help you select the right product at the right price to grow your business. Our Partner Certified sales team will assist you in making the right decision. Grimco<sup>®</sup> is the largest dealer of wide format printers and sign making equipment in the signage industry.



#### **Printer Experts**

Our printer sales team members are trained professionals having completed vendor certified training programs to insure you have all the facts for your decision.



#### **Financing Options**

Grimco® offers the most competitive leasing and financing options with a simple application process and approval possible in just minutes. "Click Here for Financing" is on all our printer pages at Grimco.com.



#### Intallation and Training

Our experienced, factory certified technicians have consistently earned the highest customer satisfaction ratings from independent customer surveys.




#### **Post Sale Support**

Grimco® toll free technical support is avialable from 8 AM Eastern to 5 PM Pacific from our certified software and hardware support team. All calls are entered, tracked and resolved as quickly as possible.



#### Post Sale Ink and Supplies

Your ink and supplies are available same day or next day from our 50 stocking locations throughout the USA. Order 24/7 on Gimco. com and get extra discounts.



### Chicago Demo Center



Visit our strategically located Demo Center in Chicago to see our equipment and software in action.

### In-Person & Virtual Demos

Request Samples

V Trainings & Events



HARDWARE OFFERING www.grimco.com | 800.542.9941

## **Customer Testimonials**

"Nano showed up on Tuesday afternoon. He went straight to work and showed a passion and willingness do whatever it was going to take to get us up and running. If everyone portrayed Nano's desire and passion, this world would be a utopia. I cannot say enough about him and his professionalism."

- Jim (Owner) Greater Charlotte, NC area

"I just wanted to take a minute this afternoon and say thank you to Patrick! He was an awesome tech with plenty of experience. He is a great asset to your new printer customers and very informative. He did a stand up job for Grimco. He really knows his stuff."

- Lee (Owner) Greater Nashville, TN area

"I can't thank you enough and tell you how thrilled I am with the attention, urgency, and results you delivered! Steve just left our facility after spending the entire day here. We now have accurate color, working profiles, and an understanding of what we should be looking for. Steve hit it out of the Park!"

- John (GM) Greater Chicago, IL area