

Personal Teller Machine 10-Series

Providing Your Customers
with More Transaction
Options and Helping You
Integrate Exciting New
Applications and
Efficiencies into
Your Enterprise




Evolutionary Self-Service

The new 10-Series kiosk is designed for financial institutions working to transition mundane teller transactions to true self-service kiosks that integrate with their core system.

This move enables a full complement of teller transactions and is aligned with the wave of digital transformation initiatives to create the modern branch, with a focus on exceptional client experience.

- 1 32" Ultra HD Monitor Integrated Touchscreen & Privacy Filter
- 2 Omni-directional barcode Imager
- 3 Hybrid Magstripe / EMV Reader
- 4 NFC Reader
- 5 Encrypted PCI-Compliant PIN Pad
- 6 Biometric Palm Scanner
- 7 Cash Recycler
- 8 MICR Check Scanner with Front/ Back Imager
- 9 Thermal Receipt Printer
- 10 Coin Dispenser
- 11 MICR Check/ Statement Printer



Coin
Dispensing



Integrated
Check
Printer



Cash
Recycler



UL Certified
24-Hour
Safe

Series 10 Specifications

32' Ultra HD Monitor with Integrated Touchscreen & Privacy Filter	32" TFT-LCD Panel, 3840(x3) x 2160 Resolution Touchscreen - Projective Capacitance Technology	Touchscreen Cover Glass 2.8mm Privacy Filter 60.0° ± 10.0°
Computing System	INTEL i5 (Skylake) 6MB 2.3GHz 35W, RAM 8GB DDR4, Hard Drive, Solid State, 128GB, Long Life	
Wireless Module	Wi-Fi Card Module, 802.11 a/b/g/n, 2.4/5GHz DUAL BAND	
Operating System	Windows 10	
Camera	Resolution 5MP, Auto Focus	
Bulk Note Cash Recycler	<p>Cassette Capacity** Overall (except reject bin) - 15,000 notes (dispense only) / 13,000 notes (recycle/deposit) Cassette Capacities ** - 3,000 notes (dispense only) / 2,700 notes (recycle/deposit) Number of Cassettes - 5 Reject Bin Capacity ** - Approximately 1,000 notes Acceptable Number of Notes - Maximum 200 notes (Height: 35mm or less). Bunch size can change depending on note condition. Dispensable Number of Notes - Maximum 200 notes (Height: 35mm or less). Bunch size can change depending on note condition. Cash Feed Speed - 8 notes per second ** The capacity shown above is a conversion value of 0.11mm unused notes</p>	
Safe	UL 291 24-hour Service - Level 1 Security Container	
Coin Dispenser	Dispense Only - Up to \$111.42 (USD)	
MICR Check/Statement Printer	Tray 1 - 250 Sheet Capacity Tray 2 - 250 Sheet Capacity	
Check Scanner	Single Document Scan MICR Character Reader: CMC7, E13B Image Resolution - 200 x 200 dpi Gray Level - 8 bit @ 300 dpi Stacker - 150-200 Checks (optional)	
Receipt Printer	Print Technology - Direct Thermal Print Width - 3" Print Resolution - 203 dpi	Print Speed - 7ips Max Media - Approx. 230' on a 2.8" Diameter Roll Cutting Method - Partial Cut
Card Reader	Hybrid Magnetic Stripe/EMV Card Reader EMV Ver4.3 Approved with Anti-skimming Technology	
Pin Pad	Encrypted PIN Pad PCI-Compliant, PCI-PTS 3.x Certified Key Management: Master/Session, DUKPT Encryption Algorithms: AES, DES, and TDES for PIN Encryption	
Biometric Palm Scanner	High Security Authentication Method Utilizing Patented Palm Scanning Technology	
Imager	Omni-Directional Imager - ID and Barcode Scanning	
NFC	NFC Contactless Reader Supporting: ApplePay, Visa, MasterCard, Amex, and others	
Kiosk Controller	Control of Guidance Lights Monitor Vitals of Kiosk System Including: Temperature/Humidity, Security Switches, Receipt Paper Low, Tamper Via Internal Accelerometer	
UPS	1500 VA Output Power (utilize to complete current transaction if possible and provide a controlled shutdown of the system)	
Approach Sensor	Adjustable Sensor to Detect and Wake Up Transaction System When a Customer Approaches the Device (distance and walk-by traffic filter configurable)	
Keyboard	USB-Internal (for maintenance purposes only)	
Dimensions	H 53.15", W 34.18", D 35.3"	
Weight	Approx. 1400 lbs.	



4205B Westinghouse Commons Drive Charlotte, NC 28273 | 800-922-8501 | sourcetechnologies.com