GREEN BAY METROPOLITAN SEWERAGE DISTRICT INDUSTRIAL WASTEWATER PRETREATMENT PROGRAM PERIODIC COMPLIANCE REPORT #8 – PHARMACEUTICAL MANUFACTURING

(VEAD)	SAMPLE TYPE: GRAB
(IEAK)	FLOW COMPOSITE
	SAMPLE POINT NUMBER
	FLOW SUMMARY FOR REPORTING PERIOD: MAXIMUM GPD
	AVERAGE GPDOR OR ZERO DISCHARGE
	WASTE HAULED OFFSITE FOR DISPOSAL
The above data is in compliance with the GBMSD Sewer Use Ordinance, and all other appurtenant regulations.	
The above data is not in compliance with the GBMSD Sewer Use Ordinance, and all other appurtenant regulations.	
	(YEAR)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations.

I hereby certify that no Acrylonitrile containing products are used at this facility; OR Analysis for Acrylonitrile attached.

SIGNATURE _	 DATE
NAME (Printed) _	
TITLE	

Submit original, completed report to: ATTN: Pretreatment Coordinator Green Bay Metropolitan Sewerage District 2231 N. Quincy St. Green Bay, WI 54302