



APPLICATION CONDITIONS	MIN.	NOM.	MAX.
TEMPERATURE (°F)			
PRESSURE (PSI)			
SPEED (SFPS)			
STROKE LENGTH (IN)			
CYCLE RATE (CYL/SEC)			
MEDIA			



BILL OF MATERIALS				
ITEM	QTY	PART#	MATERIAL	DESCRIPTION

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	ECN #
2	A	ADDED BLANK NUMBER AND DIMENSIONS	2/5/2019	9252



000V GROOVE



UNLESS OTHERWISE SPECIFIED:		NAME	DATE	 <b>MAUDLIN PRODUCTS</b> MW Industries, Inc.
DIMENSIONS ARE IN INCHES		DRAWN	L. DOUGLAS 1/26/18	
TOLERANCES:		MFG REVIEW		
FRACTIONAL ± 1/16"		ENG APPR.	 1/26/18	TITLE:
ANGULAR: ± .5°				GENERAL ARRANGEMENT
TWO PLACE DECIMAL ±.01				000 V-SPRING
THREE PLACE DECIMAL ±.005				GROOVE AND TOOL
JACKET MATERIAL:		COMMENTS:		SIZE
SPRING TYPE: 000V-SPRING				DWG. NO.
O-RING:				MSCT-000
DO NOT SCALE DRAWING				REV
				A
		SCALE: NTS		SHEET 1 OF 1

**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MW INDUSTRIES, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MW INDUSTRIES, INC IS PROHIBITED.