

APPLICATION CONDITIONS	MIN.	NOM.	MAX.
TEMPERATURE (°F)			
PRESSURE (PSI)			
SPEED (SFPS)			
STROKE LENGTH (IN)			
CYCLE RATE (CYL/SEC)			
MEDIA			

5

BILL OF MATERIALS						
ITEM	QTY	PART#	MATERIAL	DESCRIPTION		

REVISIONS							
ZONE	REV.	DESCRIPTION	DATE	ECN #			
1	Α	ADDED BLANK NUMBER AND DIMENSIONS	5/24/2018	8524			





UNLESS OTHERWISE SPECIFIED: NAME DATE . DOUGLAS 2/14/18 DRAWN DIMENSIONS ARE IN INCHES TOLERANCES: MFG REVIEW FRACTIONAL± 1/16" ANGULAR: ± .5° 2/14/18 ENG APPR. TWO PLACE DECIMAL ±.01 THREE PLACE DECIMAL ±.005 COMMENTS: JACKET MATERIAL: SPRING TYPE: 200 V-SPRING Α

TITLE: GENERAL ARRANGEMENT 200 V-SPRING **GROOVE AND TOOL**

MAUDLIN

PRODUCTS.

MW Industries, Inc.

SIZE DWG. NO. **REV** MSCT-200 SCALE: NTS SHEET 1 OF 1

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF REPRODUCTION IN PART OR AS A WHOLE O-RING: WITHOUT THE WRITTEN PERMISSION OF MW INDUSTRIES, INC IS PROHIBITED. DO NOT SCALE DRAWING

PROPRIETARY AND CONFIDENTIAL

3

MW INDUSTRIES, INC. ANY

2